SG1A	OVIII IDDINITAD	
		PAGE:0003
COUNTRY: (U) CHINA (CH).		
SECTION 001 OF 004		
/******** THIS IS A CO	MBINED MESSAGE *********	
BODY SUBJ:	<u>RIGONG</u> RESEARCH BY CHINA'S PEOPLE'S	SG ⁻
LIBERATION ARMY (U)	ETOOMO ADSTRUCT DI CHINA S FEOTIE S	A
MADNING: (H) THIS IS AN	INFORMATION REPORT, NOT FINALLY EVAL	HATED

CONFIDENTIAL

INTELLIGENCE.

This document is made available through the declassification efforts and research of John Greenewald, Jr., creator of:

The Black Vault



The Black Vault is the largest online Freedom of Information Act (FOIA) document clearinghouse in the world. The research efforts here are responsible for the declassification of hundreds of thousands of pages released by the U.S. Government & Military.

Discover the Truth at: http://www.theblackvault.com

SG1A

PAGE: 0004

DEPARTMENT OF DEFENSE

DOI:	(U)	910410.
REQS:		

SOURCE: 1. (U) JOURNAL, DONGFANG <u>QIGONG</u> (DQ) (ORIENTAL SCIENCE <u>QIGONG</u>), BEIJING, CHINA, NO. 3, 1990, IN CHINESE.

- 2. (U) NEWSPAPER, JINGJI RIBAO (JR), BEIJING, CHINA, 10 APRIL 1991, IN CHINESE.
- 3. (U) JOURNAL, QIGONG YU KEXUE (QK) (QIGONG AND SCIENCE), GUANGZHOU, CHINA, NOS. 3, 4, 9 AND 10, 1990; NO. 4, 1991, IN CHINESE.
- 4. (U) JOURNAL, <u>QIGONG</u> ZAZHI (QZ) (<u>QIGONG</u> JOURNAL), HANGZHOU, CHINA, VOL. 11, NO. 4, 1990, IN CHINESE.
- 5. (U) JOURNAL, ZHONGGUO <u>QIGONG</u> (ZQ) (CHINESE <u>QIGONG</u>), QINHUANGDAO, CHINA, NOS. 2 AND 5, 1990, IN CHINESE.

SUMMARY: (U) PHIS REPORT PROVIDES INFORMATION ON RESEARCH CONDUCTED BY CHINA'S PEOPLE'S LIBERATION ARMY ON THE EFFECTS OF COME TRAINING AND THERAPY.

- TEXT: 1. (U) RESEARCH ON THE PROCESS, METHODS, AND CLINICAL PROCESS, METHODS, AND WALCH (STC 1120 3049) IS A CHINESE STATEM OF THE CONDUCTED BY NINE ORGANIZATIONS OF THE CHINESE PEOPLE'S OF PHYSICAL AND MENTAL EXERCISES PRACTICED WITH THE AIM OF GENERATING NATURAL THERAPEUTIC ENERGY. TO USE THE APPLICATION OF THAT ENERGY TO VARIOUS PARTS OF THE BODY BY A QIGONG PRACTITIONER FOR THERAPEUTIC PURPOSES).
- (U) RESEARCH INTO THE PROCESS OF QIGONG
- A. (U) TITLE -- "EFFECT OF WAIRI WHEN APPLIED TO PRESERVED BLOOD IN VITRO" (ZQ, NO. 2, 1990, PP. 10 12)
- RESEARCHERS -- ((XU)) WUGE (STC 1776 3527 2706), ((LU)) HUAIXIA (STC 6424 2037 7209), ((LE)) SHULING (STC 0519 3219 3781), ((WU)) YANGJING (STC 2976 0111 2533), ((LI)) DAZHI (STC 2621 1129 1807), AND ((WAN)) SUJIAN (STC 8001 5685 1696)
- AFFILIATIONS -- BEIJING MR GENERAL HOSPITAL MEDICAL LABORATORY AND BEIJING MR <u>QIGONG</u> INSTITUTE (FIELD COMMENT -- SOURCE DOES NOT INDICATE THE SIX RESEARCHERS' RESPECTIVE ORGANIZATIONAL AFFILIATIONS).
- CONTENTS -- EXPERIMENTS FOR THIS RESEARCH WERE CONDUCTED DURING JUNE 1988 AND MARCH 1989. IN THE JUNE 1988 EXPERIMENTS, WHEN WAIQI WAS APPLIED TO THE PRESERVED IN VITRO BLOOD OF THE EXPERIMENTAL GROUP, THERE WAS LESS DECLINE IN RED BLOOD CELLS AND HEMOCHROME (FIELD COMMENT -- A CHEMICAL COMPONENT OF HEMOGLOBIN) AS COMPARED WITH THE CONTROL GROUP. IN ADDITION, NO RETICULOCYTES WERE FORMED IN THE EXPERIMENTAL GROUP. IMPAIRMENT OF LYMPHOCYTES ALSO DIFFERED MARKEDLY BETWEEN BOTH GROUPS, WITH 12.32 PERCENT LYMPHOCYTE IMPAIRMENT IN THE EXPERIMENTAL GROUP AND 19.71 PERCENT LYMPHOCYTE IMPAIRMENT IN THE CONTROL GROUP. FURTHERMORE, RED BLOOD CELLS AND SERUM SUPEROXIDE DISMUTASE (SOD) LEVELS WERE FOUND TO BE

PAGE: 0005

HIGHER IN THE EXPERIMENTAL GROUP. IN THE LATER TESTS, DAMAGE TO LYMPHOCYTES DIFFERED WIDELY BETWEEN THE TWO GROUPS, WITH 3.7 PERCENT LYMPHOCYTE DAMAGE IN THE EXPERIMENTAL GROUP, AND 4.6 PERCENT LYMPHOCYTE DAMAGE IN THE CONTROL GROUP.

- B. (U) TITLE -- "BIOLOGICAL REACTION OF COLON BACILLI TO WAIRI" (Z2, NO. 2, 1990, PP. 10, 12, 13)
- RESEARCHERS -- XU WUGE, ((LIU)) WEILUN (STC 0491 4850 0243), ((LIU)) YUCHI (STC 0491 3768 3069), LI DAZHI, AND WAN SUJIAN
- AFFILIATIONS -- BEIJING MR GENERAL HOSPITAL MEDICAL LABORATORY, AND BEIJING MR <u>QIGONG</u> INSTITUTE (FIELD COMMENT -- SOURCE ERRONEOUSLY CALLED THIS INSTITUTE "THE RESEARCH AND CLINICAL INSTITUTE"). (FIELD COMMENT -- RESPECTIVE ORGANIZATIONAL AFFILIATIONS OF EACH RESEARCHER WERE NOT GIVEN IN SOURCE.)
- CONTENT -- EXPERIMENTS WERE CONDUCTED IN JUNE 1988 AND MARCH 1989 IN WHICH WAIQI WAS FOUND TO INHIBIT THE GROWTH OF COLON BACILLI. IN THE JUNE 1988 TESTS, MAXIMUM GROWTH INHIBITION WAS OBSERVED FROM THE 3D HOUR OF BACTERIAL GROWTH THROUGH THE 12TH HOUR; THAT IS, FROM THE ACTIVE PERIOD OF THE BACCILUS' GROWTH THROUGH ITS PERIOD OF STABLE GROWTH. IN THE MARCH 1989 TESTS, THE GROWTH OF COLON BACILLUS WAS INHIBITED UNTIL THE 6TH HOUR OF GROWTH, THE BACILLUS' ACTIVE GROWTH PERIOD. IN ADDITION, DURING THE EXPERIMENT, FUSION OF MEMBRANES AND CELL WALLS OF TWO SEPARATE CELLS WAS OBSERVED. THE CHROMOMETER USED WAS A SERIES I-2-3 (SIC) MULTIPURPOSE BIOCHEMICAL ANALYZER MADE BY THE BAKER COMPANY, A UNITED STATES FIRM.
- C. (U) TITLE -- "FREQUENCY SPECTROGRAM OF <u>QIGONG</u> THERAPISTS OBSERVED USING A LASER DEVICE FOR MEASUREMENT OF CAPILLARY BLOOD FLOW" (ZQ, NO. 5, 1990, PP. 11-12)
- RESEARCHERS AND AFFILIATION -- XU WUGE OF THE BEIJING MR GENERAL HOSPITAL AND OTHERS.
- CONTENT -- CHANGES IN VOLUME OF BLOOD FLOW IN QIGONG PRACTIONERS WERE MEASURED AT THE LAOGONG XUEWEI (STC 0525 1362 4494 0143) (FIELD COMMENT -- THIS REFERS TO A POINT BETWEEN THE SECOND AND THIRD METACARPAL BONE, WHICH THE TIP OF THE MIDDLE FINGER TOUCHES WHEN THE FIST IS CLENCHED) USING A LASER DEVICE DESIGNED TO MEASURE CAPILLARY BLOOD FLOW. THE DEVICE DISPLAYS ITS MEASUREMENT OF THE VOLUME OF CAPILLARY BLOOD FLOW IN VOLTS. THE AVERAGE PEAK VOLTAGE MEASURED IN QIGONG PRACTIONERS WAS 1,802 MILLIVOLTS, BUT THE AVERAGE PEAK VOLTAGE MEASURED IN PERSONS WITH NO TRAINING IN <u>RIGONG</u> WAS 40 MILLIVOLTS. MOREOVER, DIFFERENCES IN VOLTAGE VARIED WITH THE METHOD AND STYLE OF ϱ IGONG USED IN THE EXPERIMENTS. HIGHEST VOLTAGES WERE RECORDED IN THOSE PERSONS WHO HAD THE MOST EXPERIENCE PRACTICING <u>QIGONG</u>. ON AVERAGE, PEAK VOLTAGE WAS ACHIEVED BY <u>QIGONG</u> PRACTIONERS 4 MINUTES AFTER THEY BEGAN PERFORMING <u>QIGONG</u>. IN NO CASE DID IT TAKE A PRACTIONER LONGER THAN 8 MINUTES TO REACH PEAK VOLTAGE.
- D. (U) TITLE -- "EFFECT OF <u>QIGONG</u> WAIQI ON ELECTROPHORESIS OF RED BLOOD CELLS IN PATIENTS" (DQ, NO. 3, 1990, PP. 46-47)
- RESEARCHERS AND AFFILIATION -- ((FENG)) LIDA (STC 7458 3810 6671), ((LI)) YUMIN (STC 2621 3768 2404), ((CHEN)) HAIXIN (STC 7115 3189 9515) OF THE PLA NAVY GENERAL HOSPITAL, SHANGHAI.

CONTENT -- QIQONG PRACTITIONERS APPLIED WAIQI RADIATION FOR 10 MINUTES TO IN VITRO BLOOD SAMPLES TAKEN FROM 108 PATIENTS SUFFERING

PAGE: 0006

FROM TUMORS, DIABETES, AND ISCHEMIA. THE ELECTROPHORETIC VELOCITY OF RED BLOOD CELLS INCREASED UPON EXPOSURE TO WAIRI RADIATION. IN 95 CASES, THE ELECTROPHORETIC VELOCITY OF THE RED BLOOD CELLS BEGAN TO RISE AT THE BEGINNING OF THE EXPERIMENT. ALTHOUGH THE MECHANISM OF THE ACTION OF WAIRI ON CELL ELECTROPHORESIS IS UNCLEAR, WAIRI HAS PROVED EFFECTIVE IN TREATING TUMORS, DIABETES, AND ISCHEMIA. WAIRI HAS BEEN FOUND TO BE PARTICULARLY EFFECTIVE IN TREATING RED BLOOD CELLS THAT HAVE SLOWER ELECTROPHORETIC VELOCITIES.

- E. (U) TITLE -- ACTION OF <u>QIGONG</u> WAIQI ON ARTIAL NATRIURETI POLYPEPTIDE, UREA NITRIDE, AND CREATININE IN DIALYSIS PATIENTS (QK, NO. 3, 1990, PP. 21-22)
- RESEARCHERS AND AFFILIATION -- ((WANG)) XIUQING (STC 3769 4423 3237), ((LIU)) CUIHONG (STC 0491 5050 4767), ((ZHAO)) YUNTAO (STC 6392 0061 3447), ((ZHANG)) ZHAOFU (STC 1728 2507 7450), ((ZHOU)) CHUNHUA (STC 0719 2504 5478) AND ((DONG)) BAO (STC 5516 5508) OF THE PLA NAVY GENERAL HOSPITAL'S DEPARTMENT OF INTERNAL NEPHROLOGY.
- CONTENT -- TESTS WERE CONDUCTED ON 20 PATIENTS WITH CHRONIC UREMIA RESULTING FROM RENAL FAILURE. WHEN WAIQI THEREAPY WAS ADMINISTERED IN CONJUNCTION WITH CONVENTIONAL MEDICAL TREATMENT, ARTIAL NATRIURETI POLYPETIDE AND UREA NITRIDE LEVELS IN THE PATIENTS' BLOOD PLASMAS SHOWED MARKED REDUCTIONS, AND PROSTAGLANDIN LEVELS INCREASED. HOWEVER, CREATININE AND THRONBOXANE LEVELS SHOWED LITTLE CHANGE.
- F. (U) TITLE -- "EFFECT OF <u>QIGONG</u> WAIQI ON PHAGOCYTOSIS OF IN VITRO HUMAN LEUCOCYTES" (QK, NO. 4, 1991, P. 18)
- RESEARCHERS AND AFFILIATION -- FENG LIDA, ((CHEN)) SHUYING (STC 7115 3219 5391) AND ((WANG)) YUNSHENG (STC 3769 0061 3932) OF THE IMMUNOLOGY CENTER, PLA NAVY GENERAL HOSPITAL, SHANGHAI
- CONTENT -- GENERALLY, APPLIED WAIQI RADIATION WAS FOUND TO IMPROVE PHAGOCYTOTIC FUNCTION OF IN VITRO WHITE BLOOD CELLS. IN 39 OF THE 50 CASES TESTED, A 9.26 PERCENT IMPROVEMENT IN PHAGOCYTOTIC FUNCTION OF IN VITRO LEUCOCYTES WAS NOTED. IN THE OTHER 11 CASES, IMPAIRMENT OF IN VITRO LEUCOCYTE PHYGOCYTOTIC FUNCTION WAS RECORDED.
- G. (U) TITLE -- "EFFECT OF <u>QIGONG</u> ON FUNCTION OF BLOOD NEUTROPHILS IN HUMANS" (QZ, VOL. 11, NO. 4, 1990, PP. 171-173)
- RESEARCHER AND AFFILIATION -- ((XIE)) ZHENCHUAN (STC 6200 2182 1557) OF THE MEDICAL LABORATORY AT THE CHENGDU MR GENERAL HOSPITAL, CHENGDU (GEOCOORD: 3040N/10404E)
- CONTENT -- IMMUNOLOGIC FUNCTION OF NEUTROPHILS IN BLOOD WAS ENHANCED AS A RESULT OF <u>QIGONG</u> TRAINING. THE PHAGOCYTOTIC RATE WAS ABOUT 24 PERCENT FOR THE EXPERIMENT'S CONTROL GROUP, BUT THE PHAGOCYTOTIC RATE FOR THE EXPERIMENTAL GROUP, WHICH STOOD AT ABOUT 21 PERCENT BEFORE THE EXPERIMENT, ROSE TO ABOUT 38 PERCENT ON THE 30TH DAY OF THE SUBJECTS' <u>QIGONG</u> TRAINING. THE EXPERIMENTAL GROUP ALSO EXPERIENCED AN INCREASE IN ITS RATE OF POSITIVE CELL REACTION TO NITROBLUE TETRAZOLIUM TESTS, WHICH ROSE FROM ABOUT 32 PERCENT BEFORE THE EXPERIMENT TO ABOUT 53 PERCENT ON THE 30TH DAY OF <u>QIGONG</u> TRAINING. THE CONTROL GROUP HAD A POSITIVE CELL REACTION RATE TO NITROBLUE TETRAZOLIUM TESTS OF ABOUT 28 PERCENT.
- H. (U) TITLE -- "EFFECT OF <u>QIGONG</u> ON HEMODYNAMICS AND BLOOD RHEOLOGY" (QK, NO. 4, 1990, P. 16)

PAGE: 0007

- RESEARCHERS AND AFFILIATION -- ((WANG)) XIUFANG (STC 3769 4423 5364) AND ((LUO)) FENG (STC 7482 6912), OF THE PLA AIR FORCE HOSPITAL IN LANZHOU (GEOCOORD: 3603N/10341E).
- CONTENT -- AFTER UNDERGOING <u>QIGONG</u> TRAINING, SIGNIFICANT REDUCTIONS WERE NOTED IN THE FOLLOWING HEMODYNAMIC AND BLOOD RHEOLOGY INDICATORS -- TOTAL CARDIAC OUTPUT, HEART RATE INDEX, CARDIAC OUTPUT PER MINUTE, AVERAGE SYSTOLIC PRESSURE, AVERAGE DIASTOLIC PRESSURE, AVERAGE ARTERIAL BLOOD PRESSURE, CARDIAC INDEX, EFFECTIVE BLOOD VOLUME, AND PULSE RATE. CONSPICUOUS INCREASES WERE NOTED IN CAPILLARY SEMI-RENEWAL TIME AND AVERAGE RETENTION TIME. QIGONG WAS FOUND TO INHIBIT THE SYMPATHETIC NERVOUS SYSTEM, TO RELAX THE SKELETAL MUSCLES, AND INCREASE CAPILLARY BLOOD FLOW. AS A RESULT OF INCREASED CAPILLARY BLOOD FLOW, MORE OXYGEN, NUTRIENTS, AND HORMONES REACH CELLS.
 - I. (U) OTHER RESEARCH

BEIJING MR <u>QIGONG</u> INSTITUTE AND BEIJING MR GENERAL HOSPITAL CONDUCTED JOINT RESEARCH ON <u>QIGONG</u> WITH THE PLA ACADEMY OF MILITARY MEDICINE. (DQ, NO. 3, 1990, PP. 33-34)

(U) ANIMAL AND CLINICAL APPLICATIONS OF PIGONG

- A. (U) TITLE -- "THE STUDY OF TRAUMATIC PARAPLEGIA IN CANINE MODEL TREATED BY BAGUA XUN DAO GONG (FIELD COMMENT -- ONE OF THE TYPES OF 2IGONG) (SIC) (Z2, NO. 5, 1990, PP. 9-11
- RESEARCHERS AND AFFILIATION -- XU WUGE OF THE BEIJING MR GENERAL HOSPITAL, WAN SUJIAN OF THE BEIJING MR QIGONG INSTITUTE AND OTHERS.
- CONTENT -- TRADITIONALLY, <u>QIGONG</u> HAS BEEN USED WITH FAVORABLE RESULTS IN CHINA TO TREAT TRAUMATIC PARAPLEGIA. THIS STUDY WAS LAUNCHED IN EARLY 1990 TO DETERMINE THE EFFECTS OF SHORT-TERM TREATMENT ON ACUTE CASES OF SPINAL CORD INJURY AND CHANGES INDUCED BY SUCH TREATMENT IN SPINAL CAPILLARY CIRCULATION. IN THE EXPERIMENT, 41 DOGS WERE USED AS SUBJECTS. <u>QIGONG</u> WAS FOUND TO BE EFFECTIVE IN RESTORING NERVE FUNCTION AND SPINAL CAPILLARY CIRCULATION, IN HELPING THE DOGS REGAIN LOST WEIGHT, AND AS A SEDATIVE IN CANINE TRAUMATIC PARAPLEGIA CASES.
- B. (U) TITLE -- "PIGONG TREATMENT OF 56 CASES OF FACIAL PARALYSIS OF THE PERIPHERAL NERVES" (QK, NO. 10, 1990, P. 25).

 RESEARCHERS AND AFFILIATION -- ((REN)) GUANGPING (STC 0117 1639)

RESEARCHERS AND AFFILIATION -- ((REN)) GUANGPING (STC 0117 1639 1627), AND ((TANG)) CHENGPEI (STC 0781 2110 1014) OF THE PHYSICAL THERAPY LABORATORY, 261ST PLA HOSPITAL.

- CONTENT -- THIS TREATMENT WAS CONDUCTED BETWEEN JANUARY 1987 AND OCTOBER 1989 USING A 220 VOLT CURRENT AND THE APPLICATION OF WAIQI. OF THE 56 PATIENTS TREATED, 41 COMPLETELY RECOVERED, 8 SHOWED SIGNIFICANT IMPROVEMENT, AND 6 SHOWED MODERATE IMPROVEMENT. ONE OF THE PATIENTS, HOWEVER, EXPERIENCED NO CHANGE IN CONDITION.
- C. (U) TITLE -- "EXAMPLE OF A CURE FOR LONG-TERM DYSURIA RESULTING FROM TRAUMATIC SPINAL INJURY" (QK, NO. 9, 1990, P. 28)
- RESEARCHERS AND AFFILIATION -- ((LIU)) RUITING (STC 0491 3843 1656) OF THE CLINIC OF THE PLA AIR FORCE, JINAN MR GENERAL HEADQUARTERS, JINAN (GEOCOORD: 3640N/11700E).
- CONTENT -- TREATMENT COMBINED BIOLOGICAL HOLOGRAPHIC ACUPUNCTURE THERAPY (STC 3932 3670 0356 1873 6859 0459 4070 3127) WITH THE APPLICATION OF WAIRI. WAIRI WAS APPLIED FOR 10-20 MINUTES TO THE LAOGONG XUEWEI AND ABDOMEN OF THE PATIENT, A 6-YEAR-OLD

PAGE: 0008

- GIRL. REMOTE WAIQI WAS APPLIED THE NEXT DAY AS WELL. FOLLOWING THE TREATMENT, THE PATIENT WAS ABLE TO ELIMINATE 300-500 MILLILITERS OF URINE EVERY 2-3 HOURS UNASSISTED WITH NO RESIDUAL URINE.
- D. (U) TITLE -- "TREATMENT OF STRESS HEADACHE WITH <u>QIGONG</u>" (ZQ, NO. 5, 1990, PP. 15-16)
- RESEARCHERS AND AFFILIATION -- ((GAO)) ZHENGJIN (STC 7559 2973 0093), ((LIU) GUANGYOU (STC 0491 0342 0645), AND ((MING)) DEJUN (STC 2494 1795 0193) OF THE 324TH PLA HOSPITAL, CHONGQING (GEOCOORD: 2934N/10635E).
- CONTENT -- THE CLINIC TREATED THE 28 STRESS HEADACHE PATIENTS OF THE EXPERIMENTAL GROUP WITH <u>QIGONG</u> AND THE 33 PATIENTS OF THE CONTROL GROUP WITH WESTERN MEDICINE. THOSE IN THE EXPERIMENTAL GROUP HAD WAIQI APPLIED DIRECTLY TO THE AFFECTED AREAS. AFTER THE WAIQI TREATMENT, PATIENTS WERE GIVEN MASSAGE THERAPY. THE CONTROL GROUP WAS GIVEN PAIN KILLERS, SEDATIVES, SLEEPING PILLS, AND VITAMIN B TABLETS. AFTER TEN DAYS OF TREATMENT, THE EXPERIMENTAL GROUP REPORTED 15 CASES OF COMPLETE CURE, 7 CASES OF MARKED IMPROVEMENT, 5 CASES OF MODERATE IMPROVEMENT, AND 1 CASE IN WHICH THERE WAS NO CHANGE. THE CONTROL GROUP REPORTED 6 CASES OF COMPLETE CURE, 8 CASES OF MARKED IMPROVEMENT, 7 CASES OF MODERATE IMPROVEMENT, AND 12 CASES OF NO CHANGE.
- 4. (U) GOOG THERAPY EQUIPMENT
- A. (U) MODEL F2-A MULTIFUNCTIONAL QIGONG THERAPY EQUIPMENT (JR, 10 APRIL 1991, P. 3)

THIS EQUIPMENT WAS DEVELOPED AND MANUFACTURED BY THE JOINT CHINA TIANHENG INTERNATIONAL ECONOMIC AND TECHNOLOGY TRADE COMPANY (STC 0022 0948 1131 5899 0948 7139 4842 3444 2111 5890 6319 2496 0678 0155 4920 0361 0674) (FIELD COMMENT -- LOCATION UNKNOWN) UNDER THE SUPERVISION OF THE BEIJING MR GENERAL HOSPITAL. THE EQUIPMENT PROBABLY WILL BE MARKETED COMMERCIALLY AFTER THE MANUFACTURER OBTAINS PATENT RIGHTS TO THE EQUIPMENT. THE EQUIPMENT IS DESIGNED TO GENERATE WAIQI THAT WILL FREE CLOGGED ENERGY CHANNELS, REDUCE INFLAMMATION, AND RELIEVE PAIN. THE EQUIPMENT IS ALSO DESIGNED TO FINE TUNE THE AUTONOMIC NERVOUS SYSTEM AND THE IMMUNE SYSTEM. IT IS ESPECIALLY EFFECTIVE IN TREATING ANGIITIS, TUMORS, AND PSEUDOMYOPIA. IT CAN ALSO BE USED TO TREAT 100 TYPES OF DISEASES, INCLUDING ARTHRITIS, HYPERTENSION, DIABETES, AND BRONCHITIS. IT WAS CLINICALLY FOUND TO BE EFFECTIVE IN 96.6 PERCENT OF THE CASES TREATED.

COMMENTS: (FIELD COMMENTS)--1. (U) BASED ON THE NUMBER OF RESEARCH PROJECTS REPORTED, THE BEIJING MR GENERAL HOSPITAL, THE BEIJING MR QIGONG INSTITUTE, AND THE PLA NAVY GENERAL HOSPITAL APPEAR TO BE THE PRIMARY PLA ORGANIZATIONS INVOLVED IN QIGONG RESEARCH. THE LEADING RESEARCHERS AT THESE ORGANIZATIONS APPEAR TO BE XU WUGE OF THE BEIJING MR GENERAL HOSPITAL, WAN SUJIAN OF THE BEIJING MR QIGONG INSTITUTE, AND FENG LIDA OF THE PLA NAVY GENERAL HOSPITAL.

2. (U) WITH THE EXCLUSION OF PARAGRAPH 3-I, THE EIGHT STUDIES PERTAINING TO THE <u>QIGONG</u> MECHANISM CAN BE BROKEN DOWN AS FOLLOWS -- 1) SIX STUDIES RELATED TO <u>QIGONG</u> WAIQI, THREE OF WHICH CONCERN THE IN VITRO EFFECTS OF WAIQI RADIATION (PARA 2-A, 2-D, 2-F), TWO

Approved For Release 2003/09/10 : CIA-RDP96-00792R000200650009-6 CONFIDENTIAL

PAGE: 0009

CONCERN THE IN VIVO EFFECTS OF WAIRI RADIATION (PARA 2-B, 2-E), AND ONE CONCERNS WAIRI FROM THE STANDPOINT OF THE RIGONG THERAPIST (PARA 2-C); 2) TWO STUDIES CONCERNING THE EFFECTS RIGONG TRAINING HAS ON THE PHYSICAL CONDITION OF RIGONG TRAINEES (PARA 2-G, 2-H). OVERALL, ONLY A SMALL NUMBER OF IN VITRO STUDIES CONDUCTED CONCERN RIGONG. OF THE EIGHT STUDIES THAT USED HUMAN SUBJECTS, TWO DEALT WITH THE EFFECTS OF RIGONG ON THE PHAGOCYTOSIS OF HUMAN LEUCOCYTES. THE RESEARCH STRESSES THE AFFECT OF RIGONG ON THE HUMAN IMMUNOLOGICAL SYSTEM.

ииии

SG₁A

:0030

SG1A

1	4	
		PAGE

BODY

COUNTRY: PRC

SUBJ:

CULTURAL FESTIVAL OPENS IN NANJING

SOURCE: BEIJING XINHUA IN ENGLISH 1526 GMT 25 SEP 91 TEXT:

((TEXT)) NANJING, SEPTEMBER 25 (XINHUA) -- OVER 900 OVERSEAS GUESTS FROM ECONOMIC, TRADE AND FINANCIAL CIRCLES HAVE GATHERED HERE TO SPEND TOGETHER WITH OVER FIVE MILLION NANJING RESIDENTS THE FIRST NANJING CULTURAL FESTIVAL AND THE '91 AUTUMN TRADE FAIR, WHICH OPENED TODAY.

THERE WILL BE OVER 60 CULTURAL AND ART ACTIVITIES IN EIGHT CATEGORIES INCLUDING BELLING OPERA, DRAMAS, FOLK DANCES AND SONGS, SKETCHES, ACROBATICS, QIGONG (DEEP BREATHING ACTIVITY) AND EXHIBITIONS OF MODERN ARTS, CALLIGRAPHY, PHOTOGRAPHY, POTTED LANDSCAPE AND ANCIENT CULTURAL RELICS DURING THE FESTIVAL AND TRADE FAIR.

TALKS ON TRADE AND ECONOMIC AND TECHNOLOGICAL COOPERATION BETWEEN NANJING AND OVERSEAS BUSINESSMEN WILL BE HELD. OVER 520 VARIETIES OF EXPORT COMMODITIES IN 15 CATEGORIES WILL BE ON DISPLAY FOR OVERSEAS BUSINESSMEN TO THE TRADE FAIR. THE CITY HAS ALSO LISTED 163 PROJECTS TO SEEK OVERSEAS COOPERATIONS.

NANJING IS A FAMOUS HISTORICAL CULTURAL CITY OF THE COUNTRY. IT IS THE SECOND LARGEST METROPOLIS IN EAST CHINA FOLLOWING SHANGHAI.

ADMIN (ENDALL) BT	251526	SR992509	.026	TI	25/2237Z	SEP
#4794						

ииии

UNCLASSIFIED

SG1I