

Final Report

February 1982

Contract No: MDA903-81-C-0292

Covering the Period October 1980 to September 1981

RV RELIABILITY, ENHANCEMENT, AND EVALUATION (U)

By: HAROLD E. PUTHOFF

Prepared for:

DEFENSE INTELLIGENCE AGENCY

WASHINGTON, D.C. 20301

Attention:

DT-1A

SG1J

SRI Project 3279-1



SPECIAL ACCESS PROGRAM FOR GRILL FLAME RESTRICT DISSEMINATION TO ONLY INDIVIDUALS WITH VERIFIED ACCESS.

Approved by:

ROBERT S. LEONARD, Director Radio Physics Laboratory DAVID D. ELLIOTT, Vice President

Research and Analysis Division

Copy No.

This document consists of 80 pages.

SRI/GF-0019

CLASSIFIED BY: DT-1A
REVIEW ON: 28 February 2002

SECRET

NOT RELEASABLE TO FOREIGN NATIONALS

333 Ravenswood Avenue • Menlo Park, California 94025 • U.S.A. (415) 326-6200 • Cable: SRI INTL MPK • TWX: 910-373-2046

This document is made available through the declassification efforts and research of John Greenewald, Jr., creator of:

The Black Vault



The Black Vault is the largest online Freedom of Information Act (FOIA) document clearinghouse in the world. The research efforts here are responsible for the declassification of hundreds of thousands of pages released by the U.S. Government & Military.

Discover the Truth at: http://www.theblackvault.com

CONTENTS

LIST	OF I	LLUSTRATIONS	•	•	•	•	•	•	v
LIST	OF TA	ABLES		•		•			v
I	OBJE	CTIVE		•					1
II	INTRO	ODUCTION		•			•	•	3
III	RV E	NHANCEMENT TASK				•	•		7
	Α.	Tasking			•		•	•	7
	В.	Coordinate RV (CRV)			•			•	7
	с.	Overview of the RV Enhancement Procedure				٠		•	8
	D.	Transfer of RV Enhancement Technology		•				•	11
	Е.	Summary of the RV Enhancement Technique	•	•	•	•	•	•	13
ıv	OPER	ATIONAL RV TASKS			•	•			15
	Α.	Operational RV Tasking				•		•	15
	В.	RV Session Format		•	•			•	15
	c.	Pre- and Post-Operational Task Calibration.		•				•	15
	D.	FY 1981 Operational RV Sites		•				•	16
	Ε.	Evaluation of the Operational RV Task		•	•	•	•		20
v	SUMM	ARY OF THE FY 1981 RV ENHANCEMENT TASK			•	•		•	21
Apper	ndi ces	5							
	A	REPRESENTATIVE SAMPLE OF CRV PRACTICE SITES							23
	В	OPERATIONAL TASK SUMMARY SHEETS						•	27
	C	AN EXAMPLE OF A REMOTE VIEWING RESPONSE			•			•	53
	D	OPERATIONAL RV EVALUATION PROTOCOLS			•				61
	E	A SAMPLE RETURNED EVALUATION PROTOCOL					_	_	69

iii

Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280001-8

Final Report

February 1982

RV RELIABILITY, ENHANCEMENT, AND EVALUATION (U)

By: HAROLD E. PUTHOFF

Prepared for:

DEFENSE INTELLIGENCE AGENCY WASHINGTON, D.C. 20301

Attention:

DT-1A

SG1J

CONTRACT MDA903-81-C-0292

SPECIAL ACCESS PROGRAM FOR GRILL FLAME RESTRICT DISSEMINATION TO ONLY INDIVIDUALS WITH VERIFIED ACCESS.

333 Ravenswood Avenue
Menlo Park, California 94025 U.S.A.

(415) 326-6200

Cable: SRI INTL MPK TWX: 910-373-2046

SECRET

NOT RELEASABLE TO FOREIGN NATIONALS

Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280001-8

Approved For Release 2000/03/2002/2001-8

ILLUSTRATIONS

	•	
1	RV Enhancement Program	4
2	Schematic Representation of Remote Viewer Response to CRV Situation	9
3	Stage 3 Remote Viewing (Wotje Atoll)	12
4	Presession Calibration Trial (Mount Kilimanjaro) (a) Site, (b) RV Response	17
5	Postsession Calibration Trial (Canyonlands National Park) (a) Site, (b) RV Response	18
	TABLES	
1	Stages in Remote Viewing	10
2	Operational Remote Viewing Tasks (FY 1981)	19

Approved For Release 2000/08 PE COPART PP96-00788r001300280001-8

I OBJECTIVE

The objective of the RV Reliability, Enhancement, and Evaluation Task is to develop techniques to enhance remote viewing (RV), both to enhance the potential for U.S. applications, and to provide data that may be useful in assessing the threat potential of corresponding Soviet applications.

1

II INTRODUCTION

SRI International is tasked with assessing the potential of RV for intelligence applications. * In this task, as defined for fiscal years (FY) 1981 through 1983, special emphasis is placed on the possibility that enhancement techniques can be developed that will significantly increase levels of accuracy and reliability.


The three-year effort focuses on (1) the development of techniques to enhance the accuracy and reliability of RV, (2) the application of RV to operational tasks, (3) the evaluation of such techniques and applications, and (4) the integration of RV intelligence into the overall intelligence mix. The apportionment of these efforts over the three-year period is shown in Figure 1.

Investigation of the RV phenomenon at SRI International over the past decade has ranged from basic research for proof or the lack of proof of the existence of the phenomenon to operational applications in which the existence of the phenomenon is assumed. The present study emphasizing applicability is the latter type—proof of the phenomenon is not explicitly pursued here. Some pragmatic measure of demonstration of existence is provided, however, by assessment of the quality of results obtained in operational tests carried out under double-blind conditions.

In this report we discuss the effort for FY'81. This effort consisted of:

3

RV is the acquisition and description, by mental means, of information blocked from ordinary perception by distance or shielding.



4

SECRET

Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280001-8

Approved For Release 2000/08/97 CHAPPP96-00788r001300280001-8

- (1) The development of a six-stage RV training procedure, which we hypothesized would lead to improved RV performance.
- (2) The beginning of orientation/application/testing of the procedure with four experienced and one novice remote viewer.
- (3) The generation of data by the experienced remote viewers in response to operational requirements.
- (4) The development of a first-generation series of evaluation sheets (and an associated computerized data-base management system) for use by analysts in providing numerical estimates of various aspects of the RV product.

This page intentionally left blank.

6

UNCLASSIFIED

III RV ENHANCEMENT TASK

A. Tasking

SRI International is tasked with working toward the development of RV enhancement procedures that will accommodate future DoD needs. Of particular interest are the development of procedures that can be transmitted to others in a structured fashion (i.e., "training" procedures), and that can be used in targeting on distant sites of military or intelligence import.

B. Coordinate RV (CRV)

One targeting procedure, which we have been investigating at SRI since 1972, is an abstract procedure known as "coordinate remote viewing (CRV)." In this procedure, the target site coordinates (latitude and longitude in degrees, minutes, and seconds) are given (with no further information) to the individual who is to view the site. The remote viewer is then asked simply to proceed on the basis of the coordinates alone.*

7

Admittedly, such an abstract targeting procedure seems without basis, at least with regard to the present scientific paradigm. As a result we can make no claim for the technique other than the purely pragmatic one that it appears to work. It can only be pointed out that the possibility of success in such a protocol is in accord with an observed "goal-oriented" nature of the laws that appear to govern such functioning. An investigation into the general problem of target acquisition has been carried out and reported in R. Targ, H. Puthoff, B. Humphrey, and C. Tart, "Investigations of Target Acquisition," Research in Parapsychology, 1979 (Scarecrow Press, Inc., Metuchen, N.J., 1980).

Approved For Release 2000/08/27: RETROP96-00788r001300280001-8

C. Overview of the RV Enhancement Procedure

Specifically under investigation at the present time is an RV enhancement procedure developed by I. Swann, an SRI consultant. The procedure focuses on improving reliability of remote viewing by controlling those factors that tend to introduce noise into the RV product. Following is a summary overview of the Swann CRV procedure. A detailed historical and technical summary is being prepared as a separate technical report.

Two major sources of noise have been found: (1) noise caused by factors in the environment of the remote viewer, and (2) noise arising within the viewer as a result of cognitive processes (analysis/interpretation).


Noise from the environment, peripheral visual clutter or sounds in the environment (even subliminal) can intrude on perceptual and thought processes and degrade the RV response. Actions or statements by the session monitor can similarly distract the remote viewer.

"Internally generated" noise seems to be produced in the remote viewer himself. With the application of a "stimulus" (e.g., the reading of a coordinate) a momentary burst of "signal" appears to enter into awareness for a few seconds and then fade away. At this point memory and imagination appear to fill in the void, thus producing "noise" in the RV product. This effect is presumably produced by a need to resolve the ambiguity associated with the fragmentary nature of emerging perceptions. (This relationship is schematically diagrammed in Figure 2.) To prevent this effect disciplined rejection of premature interpretations and conclusions is necessary.

The techniques designed to handle these noise problems involve

(1) repeated coordinate presentation and quick-reaction response on the
part of the remote viewer to minimize the imaginative overlays, (2) the
use of a specially designed, acoustic-tiled, featureless room with

ጰ



9

UNCLASSIFIED

Approved For Release 2000/08/67; CH-RDP96-00788r001300280001-8

homogeneous coloring, to minimize environmental overlay, and (3) the adoption of a strictly prescribed, limited monitor behavior to minimize monitor overlay.

The training protocol as presently structured proceeds through a series of six stages of proficiency, hypothesized to correspond to six stages of increasing contact with the target site. These are outlined in Table 1.

Table 1
STAGES IN REMOTE VIEWING

	Stage	Example				
(1)	Major gestalt	Land surrounded by water, an island				
(2)	Sensory contact	Cold sensation, wind-swept feeling				
(3)	Dimension, motion, mobility	Rising up, a panoramic view				
(4)	Quantitative aspects	Three large buildings, clustered together as a facility.				
(5)	Special qualitative aspects	Scientific research, live organisms				
(6)	Significant analytical aspects	BW preparation site				

During FY 1981, Swann worked on developing the details of the six-stage RV enhancement procedure under investigation by serving as a remote viewer himself for over 200 training trials for sites from around the globe. Coordinates for site acquisition and data for feedback and analysis were obtained from National Geographic, World Aeronautical Charts, USGS topographical maps and the like. To indicate the range and type of sites employed, a representative sample of sites used in CRV practice from November 1980 are listed in Appendix A.

10

Approved For Release 2000/08/27 CIA-RDP96-00788r001300280001-8

D. Transfer of RV Enhancement Technology

Swann instructed three other experienced remote viewers (#009, #131, and #504) in theory classes. Application of the theory was carried out on the basis of practice RV training trials on around-the-globe sites (over 60 each) by the remote viewers. Toward the end of the FY 1981 effort, the first novice remote viewer (#622) was introduced into the training task so that we could begin to obtain data on the response of inexperienced personnel to the training program as structured. This remote viewer had over 50 RV trials.

observed the theory classes and acted as monitors for several of the practice sessions to monitor the progress of the RV enhancement program. Both also acted as monitors for operational RV tasks, which provided additional data on progress of the program (Section IV).

Although detailed formal evaluation of the training program is not scheduled until mid FY 1982, some general observations of progress in RV enhancement can be made. The experienced remote viewers (#009, #131, #504) were taken through Stage 3 in the theory/orientation sessions, and reliable data were obtained through Stage 2 into Stage 3 in the RV training trials. The remote viewers experienced some difficulty in adjusting to this "retraining" because some of the experienced remote viewers had to modify the style which they had developed. This adoption of style did not, however, appear to interfere with their ability to perform well using the RV enhancement techniques under study.

Figure 3 is an example of what is meant by Stage 3 Remote Viewing (dimension, motion, mobility). The (blind) target site was Wotje Atoll in the Marshall Islands in the Pacific. For a good rendition an ability to "move" around the site is required to outline the shape of the island, associated reef, buildings, and so forth.

11




FIGURE 3 (U) STAGE 3 REMOTE VIEWING (WOTJE ATOLL)

Approved For Release 2000/08 (C. R. R. DP96-00788r001300280001-8

The novice remote viewer was given orientation through Stage 2, and has produced reliable data through Stage 1 to date. In contrast with the experienced remote viewers, the novice viewer experienced no particular difficulty in becoming familiar with the codified RV enhancement procedure.

E. Summary of the RV Enhancement Technique

The RV enhancement techniques may be summarized as follows:

- (1) The codified multistage approach to data acquisition inherent in the RV enhancement procedure appears to "slow down" the incoming data successfully, thereby providing some safeguard against the natural tendencies of the remote viewer to interpret and analyze prematurely.
- (2) The data being generated within the structure being investigated appear to result in briefer transcripts with higher signal-to-noise ratios compared to previous results. The gain appears to be both in the quality of individual trials and in the reliability from trial to trial.
- (3) Knowledge of the hypothesized multistage process of site acquisition appears to provide some predictive value about the quality of the RV product. The data that do not emerge more or less in the staged order tend to have a higher percentage of overlay.

This page intentionally left blank.

14

UNCLASSIFIED

Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280001-8

IV OPERATIONAL RV TASKS

A. Operational RV Tasking

SRI International is tasked with investigating U.S. capabilities in applied RV, both to determine the potential for application in U.S. efforts, and to provide data useful in assessing the threat potential of corresponding Soviet applications. In response to this requirement, SRI has pursued application tasks of interest to the intelligence community, responding to quick-reaction requirements set by representatives monitoring the progress of the work.

B. RV Session Format

The format for carrying out these tasks during FY 1981 is as follows. A request for information is forwarded to the Joint Service Program COTR in residence at SRI. He then provides targeting information (e.g., coordinates) to an SRI RV session monitor at start of session, who then works with a remote viewer to obtain data. In this format, SRI personnel are generally blind to the source of the request and the type of site or event of interest. In many cases the COTR monitors the RV session, or even conducts the session himself.

C. Pre- and Post-Operational Task Calibration

In an effort to determine whether a remote viewer is "on-line" before attempting an operational task, a presession calibration trial of a site of the kind selected from the <u>National Geographic</u> is carried out. If the results are good, the operational task is engaged; if not, the task is aborted. In like fashion, a postsession calibration trial is carried out

15

SECRET

Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280001-8

SG1J

Approved For Release 2000/08/07: CIA-RDP96-00788r001300280001-8

to provide an estimate of whether the viewer remained "on-line" during the operational task.

Examples of pre- and post-session calibration trials for OP Site J.S. #17 (suspected BW site) are shown in Figures 4 and 5. In these examples the characteristics of the new technique under consideration can be noted: brevity of response from repeated coordinate presentation; physical sensations associated with the site; labeling of analytical overlays (AOL) to distinguish them from signal; and general progression through the stages.

In the case of these calibration trials accompanying OP Site J.S. #17, good results obtained in the calibration trials correlated well with good results on the operational task. Based on these kinds of results, data will be collected throughout the program to determine whether pre- and post-operational session calibration trials can reliably provide useful indicators for estimating the quality of data obtained in the operational RV task.

D. FY 1981 Operational RV Sites

The tasks carried out during FY 1981 are listed in Table 2. Additional detailed data are provided in the operational Task Summary Sheets provided in Appendix B. Complete documentation (transcripts, evaluations, etc.) can be made available through SAO channels on a need-to-know basis.

An example of a RV response is given in Appendix C. The site

(J.S. #17) is (The remote viewer and interviewer did not have this information at the time of the RV session.)

SG1A

Approved 500 Release 200 NOS/17A \$18 HDF 100788r001300280001-8





FIGURE 4 (U) PRE-SESSION CALIBRATION TRIAL (MOUNT KILIMANJARO)
(a) SITE, (b) RV RESPONSE

UNCLASSIFIED

Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280001-8

Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280001-8 UNCLASSIFIED **CPYRGHT**




UNCLASSIFIED

POST-SESSION CALIBRATION TRIAL (CANYONLANDS NATIONAL PARK) FIGURE 5 (a) SITE, (b) RV RESPONSE

18

UNCLASSIFIED



E. Evaluation of the Operational RV Task

A first-generation series of evaluation protocols were developed for use by analysts in providing numerical estimates of various aspects of the RV product generated in operational RV tasks. The returned protocols constitute the basis for contractor evaluation, feedback to the remote viewer, and as input for the computerized data-base management (DBM). The evaluation protocols submitted to analysts for their completion are provided in Appendix D. A sample returned evaluation protocol (for OP Site J.S. #17) is included as Appendix E.

While awaiting the bulk of evaluation protocols, the contractor has begun development of a computerized data-base management system to handle this material. This system, programmed on a stand-alone LSI 11/23 system located in a project classified space, will provide a library/catalog function of data-base readout by date, site, viewer, etc., and trend analysis functions.

Approved For Release 2000/08 (FC) A-FDP96-00788r001300280001-8

V SUMMARY OF THE FY 1981 RV ENHANCEMENT TASK

Progress in the FY 1981 RV Enhancement Task can be summarized as follows:

(1) Efforts completed:

- CRV enhancement procedure developed.
 - All six stages researched
 - Over 200 CRV practice trials with Swann
 - Orientation through Stage 3 into Stages 4 and 5 completed.
- Procedure transmitted to three experienced remote viewers.
 - Over 60 CRV practice trials each
 - Orientation through Stage 3 completed
- Procedure transmitted to one novice remote viewer
 - Over 50 CRV practice trials
 - Orientation through Stage 1 completed
- Data obtained on operational Sites J.S. #8 through J.S. #22.
- First-generation evaluation protocols developed, distributed to client analysts.

(2) Findings to date:

- Subject to formal evaluation in FY 1982, the multistage approach to RV in the procedure under evaluation appears to be successful in "slowing down" the incoming data, thereby providing some safeguard against natural tendencies toward premature interpretation and analysis on the part of the remote viewer.
- The use of pre- and post-operational calibration trials appears to provide useful indicators for bracketing the quality of data obtained in operational tasks.

21

Approved For Release 2000/08/07 CIA-RDP96-00788r001300280001-8

• Results labeled by the client as useful are being obtained in operational tasks, where the enhancement procedure under evaluation is being employed.

Appendix A

REPRESENTATIVE SAMPLE OF CRV PRACTICE SITES (Swann, 3 through 7 November 1980)

This page intentionally left blank.

24

UNCLASSIFIED

Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280001-8

This page intentionally left blank.

26

UNCLASSIFIED

Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280001-8

Appendix B

OPERATIONAL TASK SUMMARY SHEETS

27

This page intentionally left blank.

28

UNCLASSIFIED

Approved For Release 2000/08 CRAET DP96-00788r001300280001-8



Appendix B

	Date1 July 1980; 0900 hrs
	Series DIA
	Session No. 1
	Target No. J.S. #8
SG1A	Target
	Remote Viewer #002
	Interviewer SG1J
	Beacon(s) CRV (Coordinate Remote Viewing)
	Tape Cassette #32
	Comments:
SG1J	1. Remote viewing session carried out at DIA, under DIA control, with SRI RVer #002. was the session interviewer. No SRI personnel were involved.
SG1J	2. Session interviewer was blind as to the target. Target provided by J. Vorona.
	3. Pre- and post-session calibration experiments were carried out with targets Oahu, Hawaii and the Dead Sea, respectively.

SRI International

29

333 Ravenswood Ave. • Menio Park, CA 94025 • (415) 326-6200 • Cable: SRI INTL MNP • TWX: 910-373-1246

Approved For Release 2000/05/EC REPROP96-00788r001300280001-8



Date 30 Se	ptember 1980; 0911 hrs
Series	DIA
Session No.	2
	J.S. #8 (continued)
Target	
Remote Viewer	#002
- Interviewer	H. Puthoff
Beacon(s)	CRV
Tape Cassette	

Comments:

SG1A

- 1. Saw large earthworks.
- 2. Followed up with a <u>National Geographic</u> calibration (Belfast, Ireland), which was successful.

SRI International

30

333 Ravenswood Ave. • Menio Park, CA 94025 • (415) 326-6200 • Cable: SRI INTL MNP • TWX: 910-373-1246

Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280001-8



Date 2	October 1980; 0825 hrs
Series	DIA
Session No.	3
Target No.	J.S. #8 (completed)
Target	
Remote Viewe	r #002
Interviewer	
Beacon(s)	CRV
Tape Cassett	e 45
	·

Comments:

SG1A

- 1. Pre-session and post-session calibration scans of San Juan, Puerto Rico and Stornoway, Scotland were successful.
- 2. Continued description of immense facility, both overground and underground.

SRI International

31

333 Ravenswood Ave. • Menlo Park, CA 94025 • (415) 326-6200 • Cable: SRI INTL MNP • TWX: 910-373-1246

Approved For Release 2000/05 EC RIE-RDP96-00788r001300280001-8



Date 19 I	December 1980;	1823	hrs			
Series	DIA		·			
Session No.	1					
Target No.	J.S. #9					
Target						
Remote Viewer	#131					
Interviewer	H. Puthoff					·
Beacon(s)	CRV (Coordi	inate	Remote Viewing)			
Tape Cassette	100 & 10	01				
Comments:				SG1J		

- 1. Coordinate supplied to interviewer Puthoff by (DIA) on this date.
- 2. Remote viewer blind as to target location, event, etc. Interviewer knowledgeable only that event was suspected nuclear, but blind as to target, country, etc.
- 3. Two calibration experiments with Nat'l Geographic targets were carried out to determine whether remote viewer was "on-line," one prior to operational target (Yosemite Park, CA), and one mid-session on operational (Muscat, Oman); both were excellent.

SG1A

SG1A



SRI International

32

333 Ravenswood Ave. • Menlo Park, CA 94025 • (415) 326-6200 • Cable: SRI INTL MNP • TWX: 910-373-1246

Approved For Release 2000/08 CPA RDP96-00788r001300280001-8



	Date	22 December 1980; 1555 hrs	_
	Series	DIA	_
	Session No.	2 (completed)	
		J.S. #9	_
G1A	Target		-
	Remote Viewe	r#131	
	Interviewer	SG1J	_
	Beacon(s)	CRV (Coordinate Remote Viewing)	
	Tape Cassett	e <u>102</u>	
	Comments:		
	1. Conti	nuation of Session 16see comments there.	
	2. Coord	given.	
	-	se of session primarily to obtain answers to questions on session forwarded to by J. Vorona.	
		SG1J	

SRI International

33

333 Ravenswood Ave. • Menio Park, CA 94025 • (415) 326-6200 • Cable: SRI INTL MNP • TWX: 910-373-1246

Approved For Release 2000/05/EC: RETOP96-00788r001300280001-8



16 January 1981, 1550 hrs	
DIA	
J.S. #10	
SAO	
#131	
H. Puthoff	
CRV (Coordinate Remote Viewing)	
105 & 108	
	SG1J
	J.S. #10 SAO #131 H. Puthoff CRV (Coordinate Remote Viewing)

- 1. Coordinates supplied to interviewer Puthoff by (DIA) upon entering into session.
- 2. Remote viewer and interviewer blind as to target location, activity of interest, etc.
- 3. Calibration experiment with Nat'l Geographic target carried out just prior to operational task (Athens, Greece); result good, remote viewer "on-line."
- 4. SAO

SRI International

34

Approved For Release 2000/05/ETC REATROP96-00788r001300280001-8



Date	17 January 1981; 1230 hrs
Series	DIA
Session No	
Target No.	J.S. #11
Target	SAO
Remote Viewer	#131
Interviewer _	H. Puthoff
Beacon(s)	CRV (Coordinate Remote Viewing)
Tape Cassette	109
Comments:	SG1J
1. Coordi	nate supplied to interviewer Puthoff by (DIA) on 16 January

- 2. At session start remote viewer and interviewer blind as to target location and target activity of interest. Mid-session, interviewer consulted atlas and became thereby knowledgeable as to target country-
- 3. Calibration experiment with Nat'l Geographic target carried out just prior to operational target (calib., Flores, Guatemala); result good, indicating remote viewer "on-line."

this was not made known to the remote viewer.

SRI International

36

Approved For Release 2000/08 CRAFTDP96-00788r001300280001-8



Date _	17	January 1981	; 1230	hrs		····· 7-4	···				
Series		DIA						· · · · · · ·		· · · · · · · · · · · · · · · · · · ·	
Session	No.		···					<u> </u>			
Target	No.	J.S. #1	1					· · · · · · · · · · · · · · · · · · ·			
Target		SA	0					·····			
Remote	Viewer	#009				· · · · · · · · · · · · · · · · · · ·					
Intervi	ewer _		(D	IA)	SC	31 J					
Beacon (s) CRV	(Coordinate	Remote	Viewir	ıg)	(Coordinates	not				=
Tape Ca	.ssette	107]	ohra	use used	instead)

Comments:

- 1. At session start remote viewer and interviewer blind as to target location and target activity of interest. Mid-session, interviewer consulted atlas and became thereby knowledgeable as to target country--this was not made known to remote viewer.
- 2. SAO

SRI International

37

Approved For Release 2000/0802 CRAFTDP96-00788r001300280001-8



SG

	Date 2 Ap	oril 1981; 0912 hrs	
	Series	DIA	
1A	Session No.		
	Target No.		
	Target		
	Remote Viewer	#002	_
	Interviewer	H. Puthoff	
	Beacon(s)	CRV (Coordinate Remote Viewing)	
	Tape Cassette _	110	
	Comments:	SG1J	

- 1. Coordinate supplied to interviewer Puthoff by (DIA).
- 2. Remote viewer and interviewer blind as to target location and target activity of interest.
- 3. Pre-session calibration experiment with Nat'l Geographic target (Buenos Aires, Argentina) yielded good results, indicating high probability that remote viewer "on-line" to start. Post-session calibration (Dusky Sound, New Zealand) was equivocal, indicating that the remote viewer may have gone "off-line" during or after the operational viewing. Caution is therefore advised.
- 4. Viewer described a "science-city" type of site, with radio towers, chemical storage, and medical facilities.

SRI International

38

Approved For Release 2000/08 CRETDP96-00788r001300280001-8



	Date 3 April 1981; 0905 hrs					
	Series DIA					
	Session No.					
	Target No. J.S. #13					
SG1A	Target					
	Remote Viewer #002					
	Interviewer SG1J					
	Beacon(s) CRV (Coordinate Remote Viewing)					
	Tape Cassette 111					
	Comments: 1. Coordinate supplied to interviewer by G.	SG1J				
	2. Remote viewer and interviewer blind as to target lo	ocation and target				
	3. Pre-session calibration experiment with Nat'l Geographic target (Istanbul, Turkey) yielded good results, indicating high probabil					

SRI International

by stone walls.

that remote viewer "on-line" to start. Post-session calibration (Mt. Ararat, Turkey) "off-line," indicating possibility that target of interest might be equivocal. Remote viewer's confidence low, aborts.

4. Viewer describes large noisy factory with cranes, and water contained

Approved For Release 2000/05 PC: PTRDP96-00788r001300280001-8



	Date	7 April 1981; 0928 hrs	
	Series	DIA	
	Session No		
		J.S. #14	
SG1A	Target		
		#002	
		H. Puthoff	
		CRV (Coordinate Remote Viewing)	
	Tape Cassette		
	Comments:		SG1J
		te sumplied to interviewer Puthoff by	(DIA)

- 2. Remote viewer and interviewer blind as to target location and target activity.
- 3. Pre-session calibration experiment with Nat'l Geographic targets (Zagreb, Yugoslavia, and Monument Valley, Utah) yielded good results, indicating high probability that remote viewer "on-line" to start. Post-session calibrations (Jordan River; San Antonio, Texas) good and poor, respectively, indicating some fatigue in functioning toward end. Some caution with regard to operational target should therefore be exercised.
- 4. Remote viewer described vast structures, partly subterranean, with storage function.

SRI International

40

Approved For Release 2000/08/2 F. CRAFT DP96-00788r001300280001-8



	Date 8 Apr	ril 1981; 0827 hrs	
	Series	DIA	
		J.S. #15	
	Target		
SG1A	Remote Viewer	#002	
	Interviewer	H. Puthoff	
	Beacon(s)	CRV (Coordinate Remote Viewing)	·
	Tape Cassette	113	
	Comments:		5

SG1J

- 1. Coordinate supplied to interviewer Puthoff by (DIA)
- 2. Remote viewer and interviewer blind as to target location and target activity.
- 3. Pre-session calibration experiments with Nat'l Geographic targets (Mt. McKinley, Sea of Galilee, Grand Canyon, St. Vincent Island) yielded acceptable results, indicating fair probability that remote viewer on-line to start. Mid-session calibration (Chapala dry lake bed, Mexico) of medium quality. Post-session calibrations (Great Salt Lake, Utah, Robinson Crusoe Island, Mt. Ararat) of good quality. Overall expectation for operational target--medium quality.
- 4. Remote viewer described what appears to be a facility. SG1A

SRI International

41

333 Ravenswood Ave. • Menlo Park, CA 94025 • (415) 326-6200 • Cable: SRI INTL MNP • TWX: 910-373-1246

Approved For Release 2000/05 FC RIE-RDP96-00788r001300280001-8



	Date	8 April 1981; 1055 hrs
	Series	DIA
	Session No.	
	Target No.	J.S. #16
SG1A	Target	
	Remote Viewer	#002
	Interviewer	H. Puthoff
	Beacon(s)	CRV (Coordinate Remote Viewing)
	Tape Cassette	114

Comments:

SG1J

- 1. Coordinate supplied to interviewer Puthoff by (DIA).
- 2. Remote viewer and interviewer blind as to target location and target activity.
- 3. Remote viewer described large facility, energy producing, perhaps nuclear reactor.

SRI International

42

Approved For Release 2000/08 **E.CR. ED**P96-00788r001300280001-8



	Date 9 April 1981; 0853 - 0919 hrs	
	Series DIA	
	Session No.	
	Target No	
SG1A	Target	
	Remote Viewer #002	
	Interviewer H. Puthoff	
	Beacon(s) CRV (Coordinate Remote Viewing)	
	Tape Cassette 115	
	Comments:	SG1J
	1. Coordinate supplied to interviewer Puthoff by was supposed to be that of J.S. #16 , but the latitude number was 18" off, being given as 02" instead of 20", somewhere some than 600 yards off.	9
	2. Remote viewer and interviewer blind as to target location and target activity of interest.	
	3. Pre- and post-session calibration experiments with Nat'l Geographic target material (Mount Kilimanjaro and Canyonlands Nat'l Park, Utah, respectively) yielded good results, indicating with high probability that remote viewer was "on-line" throughout operational viewing.	
SG1A		

SRI International

43

Approved For Release 2000/0 SEC RIE-RDP96-00788r001300280001-8



	Date 2	1 April 1981; 090	00 hrs		
	Series	DIA			
		All the common department of the common depa			
	Target No.				
SG1A	Target				
	Remote Viewer	#009			
	Interviewer		SG1J		
	Beacon(s)	"Target"			
	Tape Cassette	116			
	Comments:				

SG1J

- 1. RV session run by DIA COTR, SRI personnel not involved.
- 2. Remote viewer and interviewer blind as to target location and target activity of interest.
- 3. Pre-session calibration experiment with <u>Nat'l Geographic</u> target material (a site in Ireland) yielded good results, indicating remote viewer "on-line" at session start.

SRI International

44

Approved For Release 2000/08 PCRE-RDP96-00788r001300280001-8



SG

	Date24	April 1981;	0835 hrs		
	Series	DIA .			
	Session No				
	Target No.	J.S. #19			
1A	Target				
	Remote Viewer	#009			
	Interviewer			SG1J	
	Beacon(s)	''Taı	get"		
	Tape Cassette	11	17		
	Comments:	,	SG1J		

- 1. RV session run by DIA COTR, SRI personnel not involved.
- 2. Remote viewer and interviewer blind as to target location and target activity of interest.
- 3. Pre- and post-session calibration experiments with Nat'l Geographic target material (Sea of Galilee area; St. Vincent Is., Windward Is., respectively) yielded good results, indicating with good probability that remote viewer "on-line" during operational viewing.
- 4. Remote viewer described experimental site, high-energy technology.

SRI International

45

Approved For Release 2000/08/67: CA-RDP96-00788r001300280001-8



Date 8 Jun	e 1981, 0859 hrs (Session 1); 9 June, 0854 hrs (Session 2)	
Series	DIA	
Session No		
Target No.		
Target	SAO	
Remote Viewer	#002	
Interviewer _	H. Puthoff	
Beacon(s)	CRV (Coordinate Remote Viewing)	
Tape Cassette	118	
Comments:		S
1. Coordin	ate supplied to interviewer by (DIA) at beginning of	

- Session 1.
- 2. Remote viewer and interviewer blind as to target location and target activity of interest.
- 3. Pre- and post-calibration experiments with Nat'l Geographic target materials yielded good results, indicating with good probability that remote viewer was "on-line" during operational viewings.*
- 4. SAO

SRI International

Session 1: Pre-ops Valdez, Alaska; Bora Bora; Port-Said; Post-op Sitankai Session 2: Pre-op Beachway, RI; Post-op Mount Rainier.

Approved For Release 2000/08/07 CTA-RDP96-00788r001300280001-8



Date _	30 stry 1361, 0307 hrs (Session 5)
Series	DIA
Sessio	n No3
Target	No J.S. #20
Target	SAO
Remote	Viewer #002
Interv	iewer H. Puthoff
Beacon	(s) CRV (Coordinate Remote Viewing)
Tape Ca	assette #119
Commen	<u>ts</u> :
1.	Continuation of scans carried out on $6/8/81$, $6/9/81$.
2.	Remote viewer and interviewer blind as to target location and activity of interest.
3.	Pre- and post-session calibration experiments with Nat'l. Geographic materials yielded good results (although post-session somewhat weaker) indicating with good probability that remote viewer was "on-line" during operational viewings, although not with great depth of contact.
4.	SAO.

SRI International

47

Pre-session calibration: Mt. Kilimanjaro, Aruba Island;

Post-session calibration: Seattle, Washington.

Approved For Release 2000/08 C RE-RDP96-00788r001300280001-8



Date 5 August 1961, 0615 Hrs (Bession 4)
SeriesDIA
Session No. 4
Target No. J.S. #20
Target SAO
Remote Viewer #002
Interviewer H. Puthoff
Beacon(s) CRV (Coordinate Remote Viewing)
Tape Cassette #120
Comments:
1. Continuation of scans carried out on $6/8/81$, $6/9/81$, $7/30/81$.
2. Remote viewer and interviewer blind as to target location and activity of interest.
3. Pre- and post-session calibration experiments with Nat'1 . Geographic materials yielded good results, indicating with good probability that remote viewer was "on-line" during operational viewings.*
4. SAO
* Pre-session calibrations: Antwerp, Belgium; Bora Bora Island

SRI International

4.8

Post-session calibration: Erciyas Dagi (Mountain), Turkey.

Approved For Release 2000/08/07: CIA-RDP96-00788r001300280001-8



Date	4	August	1981,	0825	hrs	(Sessio	n	n 5)	
Series		DIA	<u> </u>			· · · · · · · · · · · · · · · · · · ·			
Session	No.		5			· · · · · · · · · · · · · · · · · · ·			_
Target	No.		J.S.	#20					
Target .		٤	SAO		<u>.</u>				
Remote	View	er	#002	!					
Intervi	ewer		н.	Putho	off				_
Beacon (s) _	(CRV (Co	ordi	nate	Remote	Vi	Viewing)	
Tape Ca	sset	te	#12	:1					_

Comments:

- 1. Continuation of scans carried out on 6/8/81, 6/9/81, 7/30/81, 8/3/81.
- 2. Remote viewer and interviewer blind as to target location and activity of interest.
- 3. Pre-session calibration experiments with Nat'l. Geographic materials yielded good results; post-session calibration experiments yielded correct descriptions but weak interpretations, indicating viewer went somewhat "off-line" during overall sequence.*
- 4. SAO.

SRI International

49

333 Ravenswood Ave. • Menlo Park, CA 94025 • (415) 326-6200 • Cable: SRI INTL MNP • TWX: 910-373-1246

^{*}Pre-session calibrations: Agung volcano; Florence, Italy
Post-session calibrations: Robinson Crusoe Island; Dubrovnik, Yugoslavia.

Approved For Release 2000/0**\$ECBE**-**R**DP96-00788r001300280001-8



Date _	5 August 1981, 0825 hrs (Session 6)
Series	DIA
Session	n No6
Target	No. J.S. #20
Target	SAO
Remote	Viewer#002
Interv	iewer H. Puthoff
Beacon	(s) CRV (Coordinate Remote Viewing)
Tape Ca	assette #122
Comment	ts:
1.	Continuation of scans carried out on $6/8/81$, $6/9/81$, $7/30/81$, $8/3/81$, $8/4/81$.
2.	Remote viewer and interviewer blind as to target location and activity of interest.
3.	Pre- and post-session calibration experiments with <u>Nat'l. Geographic</u> materials yielded good results, indicating with good probability that remote viewer was "on-line" during operational viewings.*
4.	SAO
	-session calibration: Mt. Shasta

SRI International

50

Approved For Release 2000/08 ECRET DP96-00788r001300280001-8



	Date	6 August 1981; 0810 hrs
	Series	DIA
	Session No	•
	Target No.	J.S. #21
SG1A	Target	
	Remote Vie	wer#002
	Interviewe	r H. Puthoff
	Beacon(s)	CRV (Coordinate Remote Viewing)
•	Tape Casse	tte123

Comments:

- 1. Coordinate supplied to interviewer Puthoff at session start by Lt. Col. Murray Watt, INSCOM.
- 2. Remote viewer and interviewer blind as to target location and target activity of interest.
- 3. Pre-, mid-, and post-session calibration experiments with Nat'l.

 Geographic target material (Hong Kong; Mt. Hood; and Kotor, Yugoslavia, respectively) yielded good results.
- 4. Remote viewer describes complex of buildings, with site having to do with high-energy, high-technology activity.

SRI International

Approved For Release 2000/03PC:PPTRDP96-00788r001300280001-8



Date 15 September 1981; 0858 hrs

	Serie	s DIA
	Sessi	on No. 1
SG1A	Targe	t NoJ.S. #22
SG1J	Targe	t
	Remot	e Viewer #009
	Inter	viewer H. Puthoff
	Beaco	n(s) "Target"
•	Tape	Cassette 124
	Comme	nts: SG1J
	1.	Session monitored by
	2.	Remote viewer, interviewer and monitor blind as to target location and target activity of interest.
SG1	J 3,	Site accessed by abstract "Target," taken to correspond with a site chosen by of DIA, and known only to him at time of session.
	4.	Pre-session calibration with Nat'l. Geographic target site (Dubrovnik Yugoslavia) good, indicating good conditions going into operational session.
	5.	Remote viewer described airfield location and associated buildings, including some interiors.

SRI International

52

Approved For Release 2000/080 CRAEFIDP96-00788r001300280001-8

Appendix C

AN EXAMPLE OF A REMOTE VIEWING RESPONSE

53

This page intentionally left blank.

54

UNCLASSIFIED

SECRETApproved For Release 2000/08/07 : CIA-RDP96-00788r001300280001-8



Appendix C

	Date _	9 April 1981; 0853 - 0919 hrs						
	Series	DIA						
	Sessio	n No.						
	Target No. J.S. #17							
SG1A	Target							
	Remote	Viewer #002						
	Interv	iewer H. Puthoff						
	Beacon	(s) CRV (Coordinate Remote Viewing)						
	Tape C	assette 115						
	Commen	ts:	SG1					
SG1	1. A	Coordinate supplied to interviewer Puthoff by (DIA). Coordinate supposed to be that of J.S. #16 (DIA). Coordinate supposed to be that of J.S. #16 (DIA). Supposed to be that of J.S. #16 (DIA). Supposed to be that of J.S. #16 (DIA). Coordinate supplied to interviewer Puthoff by (DIA).						
	2.	Remote viewer and interviewer blind as to target location and target activity of interest.						
	3.	Pre- and post-session calibration experiments with <u>Nat'l. Geographic</u> target material (Mount Kilimanjaro and Canyonlands Nat'l. Park, Utah respectively) yielded good results, indicating with high probability that remote viewer was "on-line" throughout operational viewing.	,					
SG1A								

SRI International

55

Approved For Release 2000/08/07: CIA-RDP96-00788r001300280001-8 **SECRET**

J.S. #17

Remote Viewer: 002

Monitor: Hal Puthoff

9 April 1981

H: Today is April 9, 1981, Remote Viewer 002 and Hal Puthoff monitoring.

J.S. #17. It is 8:53.

SG1A

SG1A



1 1 1

uindows Brown Hot rooffed. Brooks

Approved For Release 2000/08/07: CIA-RDP96-00788r001300280001-8

lake to N/E flat orea to south Seems isolated -

Breaks ad? * air ship?

TV or communeations relay -?

*AOL - Analytical Overlay; images thought to be erroneous, being triggered imagination. Possibly relevant, but not taken to be primary data.

57

Approved For Release 2000/98/07 PDP96-00788r001300280001-8

V: This is a terrible place for some reason. I am having words like medical, SG1A biological, research, human use, human guinea pigs rather, prison facility.

H:

V: Chemicals and gas, a biological warfare place. This is like a decompression chamber. Maybe those are contamination chambers.

Oh dear, what did we find. Who gave this coordinate? I came across - it seems to be five rather complex chambers in a very large hangar like building. They remind me of the decompression chamber that we saw down at that marine research base on Catalina. A decompression place where people went if they came up from diving too fast. A complex chamber made of reinforced steel and concrete and things and it has tanks. They have tanks of various kinds leading into them.




58

Approved For Release 2000/08/9 ECPAPPP96-00788r001300280001-8

There is the smell of disinfectant and ultra violet lights, purple light, lavendar light, inside this large hangar like building. The floor seems wet. People wear boots, very large rubber boots. There seem to be inside stairs going down. This place is maybe 40 ft high at least. There are these chamber units there, but there are stairs and an elevator going down. And a ramp and lift forks, so this is underground too. It's funny, there seems to be windows on the outside, but there aren't any windows on the inside. Fake windows. I seem to see what looks like a guard cubicle because it has all glass around, it is inside the building. It has, by comparison to the other cold lavendar lights, it has yellow illumination in it. There are six men there. There is a big panel, it seems to be a voltage control panel for some sort of electronics system. Down the ramp are very long corridors. It looks like storage. There are signs everywhere. I can't read the characters but the phoenetics is sort of pra noy usnetzov. There are blinking red lights over some doors here and there. I think these are exit markers.

PRA NOY USNETZUV



SECRET

Approved For Release 2000/08/07: CIA-RDP96-00788r001300280001-8

Approved For Release 2000/05/20 RE-RDP96-00788r001300280001-8

V: Outside the ground isn't

flat, it is sort of like there are hills or artificially made mounds that sort of divide up this compound in a way. Buildings that look like barracks. A whole series of buildings that look like prefabricated boxes, that are sort of all stacked together. Water tank on the hill. Large tower I think and in the area there is an airstrip. It is about 2 miles to the NE I think. I am going to end there. I don't like this place.

At that Class A site there was a tall thing that I couldn't make out, I bet that that is a chimmney. I bet those are large furnaces.

60

Appendix D

OPERATIONAL RV EVALUATION PROTOCOLS

This page intentionally left blank.

62

UNCLASSIFIED

Approved For Release 2000/08/97 CDARPP96-00788r001300280001-8

Appendix D

(S) INSTRUCTIONS TO ANALYSTS (U)

(U) The information provided as enclosure to this report was obtained in
response to a collection requirement provided by
This information was acquired from a new and potentially valuable source of
intelligence. Work is currently being pursued to determine the accuracy,
reliability, and improvement potential of this source. Your remarks and
attention to the evaluation sheet will be the basis for our assessment of this
new collection technique. Therefore, the effort you expend will greatly assist
us and will ultimately result in you receiving more data of increasing accuracy
and reliability.

- (U) While formulating your judgements concerning the data, the following comments concerning this new source of intelligence may be helpful.
- (U) Foremost, the data is likely to consist of a mixture of correct and incorrect elements. Specifically:
 - (1) (S) The <u>descriptive</u> elements are generally of higher reliability than <u>judgements or labels</u> as to what is being described (recreational swimming pool may be mistaken for water purification pools, an aircraft hull may be mistaken for a submarine hull, etc.). Therefore, seemingly appropriate descriptive elements should not be rejected because of mislabeling.
 - (2) (S) The data often contain gaps (in a 3-building complex, for example, perhaps only two of the buildings may be described, and an airfield may be added that isn't there). Such gaps or additions should not be taken to mean that the rest of the data is necessarily inaccurate.
- (S) Therefore, a recommended approach is to first examine the entire information packet to obtain an overall "flavor" of the response, reserving final judgement even in the face of certain errors, and then go back through for detailed analysis.
- (U) If you have questions regarding the data you have received or on its evaluation please feel free to contact me at any time. Thank you.

63

PSYCHOENERGETICS PROGRAM OPERATIONAL TARGET FILE

(SRI Internal Use Only)

(U)	Project Name
(S)	Viewer
(S)	Monitor
(S)	Date Time of Start Time of Finish
(S)	Client
(S)	Priority Urgent Routine
(U)	Target Key
()	Variance from Standard Protocol
(U)	Target ID No.
()	Information Provided by Requestor
	Information Provided to the Monitor
()	Information Provided to the Source
()	Information Requested by Analyst
(S)	Date Information Delivered to Client
(S)	Additional Data Request by Client Yes No No
(S)	Dates Additional Data Requests Met
()	Remarks

64

SE

CRET

	(S) SUMMARY EVALUATION SHEET (U)								
(U)	(U) For the summary evaluation, please check the following boxes as to the accuracy of the submitted material.								
	ACCURACY [*]								
		Little Correspondence O	Site Contact, with Mixed Results	Good 2	Excellent 3	Unknown	Not Applicable	proved I	
(S)	Geographical locale description (terrain, water, etc.)							or R	
(S)	Large-scale manmade elements (cities, buildings, silos, docks, railroad lines, airfields, etc.)							elease 2	
(S)	Small-scale manmade elements (antennas, computers, tanks, missiles, offices, etc.)							000/08	
(S)	General target ambience (research, production, administration, storage, troop movements, naval activity, air activity, weapons testing, etc.)							Approved For Release 2000/08 %≧ CMEP DP96-00788r001300280001-8 ¦	
(S)	Relevant specific activities (nuclear testing, missile firing, CBW storage, ELINT monitoring, etc.)							₽ P96-0	
(S)	Personality information (physical descriptions, actions, responsibilities, plans, etc.)							0788r00	
(S)	(S) Overall utility None Marginal Useful Very Useful termined at this time								
* (U	*(U) Definitions for the accuracy scale: 0 - Little correspondence Self explanatory. 1 - Site contact with Mixture of correct and incorrect elements, but enough of the former to mixed results indicate source has probably accessed the target site. 2 - Good								

little incorrect information.

(2)	CITIMIADV	EVALUATION	CHEEL	DED SONNET	(11)
(O)	SUMMARY	EVALUATION	OHEEL	PERSONNEL	(0)

(U) For the sum	mary evaluation, plea	• •	Y EVALUATION SHE			submitted ma	terial.
(b) For the sum	mary evaluation, prea	se encer the form	ACCURACY*	o ene a	ecuracy or the	buomiteed ma	ccitai.
		Little Correspondence	Personnel Contact, with Mixed Results	Good	Excellent	Unknown	Not Applicable
(0) 0 1:1	11. 4	0	1	2	3		
(S) Geographical loca	-						
(S) Dress appear formal, casu	•						
·	earance (height, s, hair color etc.)						
(S) General heal	th characteristics						
(S) Nationality							
(S) Personality (mental, sta	characteristics te, demeanor, etc.)						
(S) Relevant pas activities	t responsibilities/						
(S) Relevant cur responsibili	rent ties/activities						
(S) Relevant pla responsibili	nned ties/activities						
	agencies, persons to/associated with						
(S) Overall util	ity None	Marginal [Useful	Ve	ry Useful	Cannot be	de- at this time
0 - Little		Self explanate Mixture of co- indicate soure Good correspond Good correspondence in the corresp	rrect and incorr ce has probably	accesse ral ele	d the target si ments matching,	te. but some in	correct inform

Approved For Release 2000/08/07: CIA-RDP96-00788r001300280001-8

()	DET	AILED EVALUATION SHE	ET (U)		
Spec	ific	Transcript/Drawing 1	Items	Evaluation*	Reference
1.	()				
2.	()				
3.	()				
4.	()				
5.	()				
6.	()				
7.	()				
8.	()				
9.	()		·		
10.	()				
11.	()				
12.	()				
*0 to	3 p	oint scale of previou	ıs page.		

67

Approved For Release 2000/08/07: CIA-RDP96-00788r001300280001-8

(S)	Addition	al informa	tion desired?	Yes	No
(S)	Priority	,	Urgent	date	Routine
()	Items	1. ()			
		2. ()			
		3. ()			
		4. ()			
	S	G1J			
Retu	S	RI Interna	(DIA, DT-1 lle - Bldg. 44 tional CA 94025	A)	

68

Appendix E

A SAMPLE RETURNED EVALUATION PROTOCOL

This page intentionally left blank.

70

UNCLASSIFIED

	(11)	(S) SUMMARY EVALUATION SHEET (U) SiteJS #17 (U) For the summary evaluation, please check the following boxes as to the accuracy of the submitted material.								
ACCURACY*									، <u>ب</u>	
			Little Correspondence O	Site Contact, with Mixed Results	Good 2	Excellent	Unknown	Not Applicable	-	
SECRET	(S)	Geographical locale description (terrain, water, etc.)		\boxtimes						
	(S)	Large-scale manmade elements (cities, buildings, silos, docks, railroad lines, airfields, etc.)				\boxtimes				
	(S)	Small-scale mammade elements (antennas, computers, tanks, missiles, offices, etc.)			\boxtimes					
	(S) 71	General target ambience (research, production, administration, storage, troop movements, naval activity, air activity, weapons testing, etc.)				\boxtimes		<u></u>	Appendix E	
	(S)	Relevant specific activities (nuclear testing, missile firing, CBW storage, ELINT monitoring, etc.)				\boxtimes				
	(S)	Personality information (physical descriptions, actions, responsibilities, plans, etc.)					\boxtimes			
	Cannot be de- (S) Overall utility None Marginal Useful Very Useful termined at this time									
	* (U	*(U) Definitions for the accuracy scale: 0 - Little correspondence Self explanatory. 1 - Site contact with Mixture of correct and incorrect elements, but enough of the former to indicate source has probably accessed the target site. 2 - Good								

Next 1 Page(s) In Document Exempt

This page intentionally left blank.

74

UNCLASSIFIED