
Approved For Release 2000/08/08 : CIA-RDP96-00788R001800050001-8 Final Report December 1982 REVISED JULY 1983 A REMOTE VIEWING EVALUATION PROTOCOL (U) By: EDWIN C. MAY Prepared for: DEFENSE INTELLIGENCE AGENCY WASHINGTON, D.C. 20301 Attention: SG1J DT-5A CONTRACT MDA908-82-C-0034 SPECIAL ACCESS PROGRAM FOR GRILL FLAME. RESTRICT DISSEMINATION TO ONLY INDIVIDUALS WITH VERIFIED ACCESS.



CLASSIFIED BY: DT-5A REVIEW ON: 31 December 2002

333 Ravenswood Ave. • Menlo Park, California 94025

(415) 326-6200 • Calgo - C

This document is made available through the declassification efforts and research of John Greenewald, Jr., creator of:

The Black Vault



The Black Vault is the largest online Freedom of Information Act (FOIA) document clearinghouse in the world. The research efforts here are responsible for the declassification of hundreds of thousands of pages released by the U.S. Government & Military.

Discover the Truth at: http://www.theblackvault.com

Approved For Release 2000 ACS FIFED 0788R001800050001-8

CONTENTS (U)

| LIST | OF | ILLU | STRA | TI | ONS | (| บ) | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | iii |
|-------|------|--------|------|------|-----|---|-----|----|----|----|-----|----|-----|-----|-----|-----|-----|-----|----|----|----|-----|-----|-----|----|---|---|-----|
| LIST | OF | TABL | ES (| บ) | • | | | • | • | | | | • | • | • | • | • | • | • | • | • | | • | • | • | | • | iv |
| I | OB. | JECTI | /E (| U) | • | • | | • | • | • | | • | • | • | | • | • | • | • | • | • | • | • | • | | | • | 3 |
| II | INT | rodu | CTIC |)N (| (U) | • | | • | • | | | | • | • | • | • | • | • | | • | • | | | • | • | | | 2 |
| III | ANA | ALYSI | S PR | OTO | OC0 | L | (U |) | • | | | • | • | • | • | • | • | • | | • | • | • | • | • | | | • | 2 |
| IV | COI | NCLUS: | ONS | ; (t | J) | • | | • | • | | | • | • | | • | • | • | • | | • | • | | | • | | • | • | 1: |
| Apper | ndix | x A] | EVAL | JUA' | ΓIO | N | OF | F | ΟU | R | CC | OF | RDI | [NA | ΛTΕ | C R | REM | 101 | Έ | V] | ΕV | JIN | IGS | 6 (| υ) | | • | 12 |
| Apper | ndix | к В | SUMM | IAR? | Y O | F | EV. | ΑL | ŪΑ | TI | .01 | r | ΈC | CHN | Ίζ | UE | E (| (U) | ٠. | • | • | • | • | | • | | • | 43 |
| REFEI | RENG | ces (i | T | _ | | | _ | _ | | | | | | | | | | _ | | | _ | | _ | _ | | | | 44 |

Approved For Release 2000 ASSIE D0788R001800050001-8

FIGURES (U)

| 1 | Sample RV Assessment Form (U) | |
|-----|-------------------------------------|----|
| A-1 | Transcript 1 (U) | 14 |
| A-2 | Transcript 2 (U) | 1. |
| A-3 | Transcript 3 (U) | 16 |
| A-4 | Transcript 4 (U) | 1 |
| A-5 | Target Site Hangö (U) | 19 |
| A-6 | Target Site Fernando de Noronha (U) | 20 |
| A-7 | Target Site Inverness (U) | 2 |
| A-8 | Target Site Punkahariu (II) | 22 |

iii

Approved For Release 2006 18 CLASSIFIED 788R001800050001-8

TABLES (U)

| 1 | Task-Defined Relevance Scale for Target Elements (U) | 6 |
|-------------|---|----|
| 2 | Quality Assessment Scale (U) | 8 |
| 3 | Numerical Score Conversion Table (U) | 8 |
| 4- 1 | Target Element Relevance Ratings for Hango (U) | 23 |
| A-2 | Target Element Relevance Ratings for Inverness (U) | 23 |
| A-3 | Target Element Relevance Ratings for Fernando de | |
| | Noronha (U) | 24 |
| 4-4 | Target Element Relevance Ratings for Punkaharju (U) | 24 |
| A- 5 | RV Assessment Forms for Calibration of Remote Viewing (U) | 25 |
| A-6 | A Rank Ordering of Weighted Averages (U) | 41 |

iv

Approved For Release 2000 ASSIFIED 0788R001800050001-8

I OBJECTIVE (U)

(U) The objective of this task was to develop an evaluation procedure to assess the relative quality of a set of different remote viewing (RV) responses.

L

UNCLASSIFIED

Approved For Release 2000/08/08 : CIA-RDP96-00788R001800050001-8

III ANALYSIS PROTOCOL (U)

- (U) To quantify the analysis procedure, we have divided the task into four separate areas: subject response, target/task definition, quality assessment, and numerical analysis. Figure 1 is a sample RV Assessment Form that has been designed to emphasize the separation of the analysis tasks. Each of the parts of the form are described below.
- (U) The subject's response should be prepared for analysis without any knowledge of either the target site or the overall task. The aim of this method of response preparation is to reduce a possibly redundant, rambling response to a coherent set of concepts. To meet this requirement we have developed a set of initial guidelines to the conceptualization procedure.
- (U) A concept is defined as a paraphrase of a single idea that has been expressed in the RV verbal or drawing response. That coherent idea should not be fragmented into component parts. For example, a response might be of the form, "I see a large, textured, gray building." The single concept that expresses this idea should be "large, textured, gray building," rather than four separate concepts—one for each word in the phrase. Each concept should be entered under the "Transcript Concept" column in the RV Assessment Form.
- (U) For this initial evaluation technique, a particular concept should be used only once in the analysis. (Some weighting factor proportional to concept frequency could be utilized, but, for the initial attempt, only unique concepts are used.) If in the construction of the transcript concept list a concept later in the transcript is a duplicate of an earlier one, it should be so noted by placing the concept number of the original concept in the "D" column.

4

Weighted Average

Approved For Release 2000/08/08 : CIA-RDP96-00788R001800050001-8 UNCLASSIFIED

G

of Concepts

| 1 | Begin Ti | me: | | | | | | Targ | et:_ | | | | | | | | | | Ý | iewer: | | | | | |
|------------|-------------------|------------|-------|-------------|---------------|------|---|------|-------|-----|-----|-------|-----|------|------|----------|----|----|-----------------------|----------------|------|---|-------------|--------------|---------------------|
| 1 | End Time | : | | | | | | Meth | od of | Tar | get | ing:_ | | | | | | | D | ate: | ··· | | | | |
| 1 | Length o | f Session: | | | | | | Sess | ion: | | | | | | | | | | c | lass: _ | | | | | |
| | Concept Number | | Trans | cript | Con | cept | | | | D | P | F | len | ment | of T | arget | : | | Rele- vance (R) | Quality (Q) | Scor | e | PxRxQ | Score | Normalized Score |
| | 1 | | | | | | | | | | | | | | | | | | | | | | 0 | 0 | 0.00 |
| | 2 | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 0.36 |
| | 3 | | | | | | | | | | | | | | | | | | | | | | 2 | 2 | 0.71 |
| | 4 | | | | | | | | | | | | | | | | | | | | | | 3 | 3 | 1.07 |
| Z. | 5 | | | | | _ | | | | | | | | | | | | | ···· | | | | 4 | 4 | 1.43 |
| EVALUATION | 6 | | | | | | | | | | | | | | | | | | | | | | 5 | 5 | 1.79 |
| EVAL | 7 | | | · · · · · · | | | | | | | | | | | | | | | | | | | 6 | 6 | 2.14 |
| RIPT | 8 | | | | | | | | | | | | | | | _ | | | | | | | 8 | 7 | 2.50 |
| TRANSCRIPT | 9 | | | | | | | | | | | | | | | | | | | | | | 9 | 8 | 2.86 |
| F | 10 | | | | | | | | | | | | | | | <u> </u> | | | | | | | 10 | 9 | 3.21 |
| | 11 | | | | | | | | | | | | | | | | | | | | _ | | 12 | 10 | 3.57 |
| | 12 | | | | | | | | | | | | | | | | | | | | | | 15 | 11 | 3.93 |
| | 13 | | | | | | | | | | | | | | | | | | | | | _ | 16 | 12 | 4.29 |
| | 14 | | | | ·· | | | | | | | | | | | | | | | | | | 20 | 13 | 4.64 |
| | 15 | | | | · · · · · · · | | | | | | | | | | | | | | | | | | 25 | 14 | 5.00 |
| | | Score | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | T , | 8 9 | T | 10 | 11 | 12 | 13 | 14 | 7 | <u> </u> | | | | 1 | |

FIGURE 1 SAMPLE RV ASSESSMENT FORM (U)

Approved For Release 2000/08/08-ASSEPSE 0788R001800050001-8

- (U) To utilize an analysis procedure that is capable of quantitative assessment, it is necessary to define, in advance, what the goals of the assessment are. In the RV Assessment Form, columns "Element of Target" and "Relevance" are provided to clearly define the goal of the analysis. In the ideal situation, an RV target should be completely specified in advance. A target typically consists of a number of target elements, each of which may have varying relevance with regard to the overall RV task. For any given target, an independent list of target elements should be prepared. The selection of what constitutes a target element is left completely to the discretion of the task coordinator. The target element must be selected with little regard to task relevance (target element relevance is accounted for later). Because an RV target consists, in principle, of an essentially infinite number of possible elements, discretion needs to be exercised in the selection process.
- (U) For each target element identified for the site, the task coordinator must define a relevance rating. This rating allows the coordinator to tailor the analysis to the task requirements. Table 1 shows the scale that is used for the target element relevance rating.

Table 1

(U) TASK-DEFINED RELEVANCE SCALE FOR TARGET ELEMENTS (U)

| Rating | Relevance Scale |
|--------|---|
| 1 | A target element of trivial interest |
| 2 | A target element of minor interest |
| 3 | A target element of intermediate interest |
| 4 | A target element of major interest |
| 5 | A target element of key interest |

Approved For Release 200 408 6 LASSIFIED 788R001800050001-8

- (U) For each transcript concept on the RV Assessment Form (Figure 1), the analyst should attempt to find the element on the list of target elements that he/she considers to be the best match. The analyst should be quite liberal in the concept/element matching (i.e., the quality of the match should be considered at this point in the analysis). If he/she is able to identify a target element that might be considered a match to the given concept, a 1 is placed in the "p" (present) column on the assessment form. If no element can be identified, a 0 is placed in the "p" column. After making a target element identification, the selected target element, and its corresponding overall relevance rating should be entered in the appropriate columns on the assessment form.
- (U) Having identified a corresponding target element for each concept, it is now appropriate to assess the quality of the match. The quality assessment is done on the basis of how well the single concept in question matches the selected target element. The judgement is to be made without regard to any other issues, such as importance of the concept to the transcript, or importance (relevance) of the target element to the target. Table 2 shows the quality assessment scale that is used for this part of the analysis. The appropriate quality score from Table 2 is entered in the "Quality" column on the RV Assessment Form for each concept for which a matching target element has been identified.
- (U) An intermediate numerical score is computed for each concept from the relevance and quality (Tables 1 and 2) evaluation as follows:

$$S' = P \times R \times Q$$

where P is the value in the "p" column (0 or 1); R is the relevance evaluation; and 0 is the quality assessment. S' can assume values ranging between 0 and 25. Table 3 demonstrates how to determine the final score, S, for a given value of S' for each concept. The conversion table is

7

II INTRODUCTION (U)

- (U) In addressing the remote viewing (RV) evaluation question, we consider two separate requirements:
 - Absolute evaluation of a single response for a single unknown target.
 - Relative evaluation of a set of responses for a series of known targets.

The first of these is of the most interest in an operational setting. As part of the RV enhancement task, we have considered this problem in two ways. First, by conducting an operational RV session between two calibration RV sessions, a tentative a priori assessment of operational efficacy can be determined. The evaluation is made on the basis of performance during the calibration sessions, and on the basis of adherence to a predetermined session structure.

- (U) A second technique for an a priori evaluation was explored as part of the Fiscal Year 1982 program in an audio-linguistic task. This task provided indications that careful linguistic analysis, when coupled with technical audio analysis, could yield an assessment in the absence of knowledge about the target.
- (U) Various techniques have been used in the past^{1*} in an attempt to solve the relative evaluation problem. The most common of these was the simple rank ordering of all responses, as assessed against all possible targets used in an experimental series. In this procedure, a judge is presented with n RV transcripts and n target sites. His task is to arrange

2

^{*(}U) References are listed at the end of this report.

Approved For Release 2000/08/53-CA-RDP96-00788R001800050001-8

(U)

the transcripts in order of the best to least match for each of the n targets. A simple numerical counting procedure is then used to estimate the likelihood that the judge's transcript/target matches are by chance alone. This early technique contained little systematic structure for determining the final order of matches.

- (S) The first step toward systematizing the rank order judging procedure was to preprocess the raw data in the transcript by "conceptualizing" both the verbal and the pictorial responses. Conceptualizing a transcript requires an analyst to paraphrase the transcript into a list of coherent statements. This concept list is then compared and scored concept-by-concept to each of the targets in the experiment. The resulting scores are averaged for each response, and all responses are rank-ordered on the basis of these scores. This improved analysis procedure was applied to a number of experiments within the Technology Transfer Task for INSCOM in FY 1980.
- (U) The problem with the above technique is that there are no guidelines as to how the analyst should paraphrase the transcript; furthermore, the method in which the concepts are to be assessed against the targets remains undefined. The purpose of the Evaluation Task in FY 1982 was to identify a procedure that corrected these deficiencies.

Table 2

(U) QUALITY ASSESSMENT SCALE (U)

| Rating | Discrimination Scale |
|--------|---|
| 1 | Poor description; only one or two aspects of the material match. |
| 2 | Fair description; a few aspects of the material match, but a large ambiguity exists. |
| 3 | Reasonable description; many aspects of the material match, but there remains some ambiguity. |
| 4 | Good description; a large number of aspects of the material matches, but it is possible to conceive of material that would be a better match. |
| 5 | Excellent description; all or nearly all aspects of the material match. |

Table 3

(U) NUMERICAL SCORE CONVERSION TABLE (U)

| $S = P \times R \times Q$ | Score | Normalized Score |
|---------------------------|-------|------------------|
| 0 | 0 | 0.00 |
| 1 | 1 | 0.35 |
| 2 | 2 | 0.71 |
| 3 | 3 | 1.07 |
| 4 | 4 | 1.43 |
| 5 | 5 | 1.79 |
| 6 | 6 | 2.14 |
| 8 | 7 | 2.50 |
| 9 | 8 | 2.86 |
| 10 | 9 | 3.21 |
| 12 | 10 | 3.57 |
| 15 | 11 | 3.93 |
| 16 | 12 | 4.29 |
| 20 | 13 | 4.64 |
| 25 | 14 | 5.00 |

8

(U)

used to eliminate the nonuniformly-distributed gaps in scoring numbers that occur if one simply uses the product S'. Thus, the final score for each concept ranges from 0 to a maximum of 14. This conversion table is provided as part of the RV Assessment Form.

- (U) If an assessment of an individual concept is required, the final score for each concept/target-element match can be related to the quality assessment scale by using the conversions shown in the third column of Table 3 and on the assessment sheet. It should be noted, however, that the integer scores are used to simplify the remaining calculations.
- (U) To determine a final evaluation of the complete transcript assessed against a given target, a weighted average of concept scores is computed. To assist in the calculation of the weighted average, a tally box score is provided at the bottom of the RV Assessment Form. For each of the possible scores, 0 through 14, the number of concepts that attained that particular score are counted. For example, if 3 concepts were evaluated with a score of 12, a 3 is entered in the box below the 12 score. If the frequency of occurrence of score S_j is f_j, then the final weighted average is computed by

$$A_{k}' = \Sigma f_{j} \sqrt{f_{j}} X S_{j}/\Sigma f_{j} \sqrt{f_{j}}$$
.

$$A_{k} = 0.357 A_{k}'$$

(U) The normalized, weighted average score, \mathbf{A}_k , is entered in the weighted average box on the assessment sheet. The weighted average score has been normalized to be within the range

$$0 \le A_k \le 5.0$$

To aid in the interpretation of the result, the quality assessment scale (Table 2) can be used to assess quality of the match between the whole RV response and the given target site.

(U) At this point in the evaluation protocol, the following options are available, depending on the task requirement:

9

Approved For Release 2010018ASSHT10000018800050001-8

(U)

- An n X n rank ordering on the basis of the weighted averages.
- A simple selection of the best match.
- A statistical evaluation on a concept-by-concept basis.

IV CONCLUSIONS (U)

- (S) A protocol has been developed to address the relative evaluation portion of the overall RV transcript assessment problem. As a demonstration of the technique, we provide in Appendix A an analysis of a series of four remote viewings that were performed as calibrations during operational sessions at DIA in December 1981. In this series the remote viewing products were of relatively high quality, but nonetheless require a sensitive technique to differentiate because of the similarity of the targets and, hence, of the descriptions. (The series was chosen primarily for that reason.) Application of the assessment technique resulted in the correct blind matching (highest scoring in matches versus cross matches) of three of the four.
- (U) Appendix B is a one page, step-by-step procedure for the application of this evaluation technique.
- (U) The material in this document thus constitutes an instruction manual or protocol for application of a step-by-step procedure for quantitative assessment of the relative target/transcript correlations of a series of transcripts matched into a series of targets.

Appendix A

EVALUATION OF FOUR COORDINATE REMOTE VIEWINGS (U)

12

- (S) On 14 December 1981, four coordinate remote viewings were conducted as calibrations during an operational remote viewing session targeted on client-designated sites of interest. The calibrations and the operational RV session were conducted at the client's organization and were witnessed by client representatives. These four calibrations were chosen as a test bed for the evaluation procedure for the following reasons, (1) they were conducted in an operational setting, and (2) the targets had many similar features, and would thus provide a sensitive test of the protocol.
- (S) Figures A-1 through A-4 are the transcripts that were presented to the analyst. They are exactly as they were when collected, except that the coordinates have been removed. Figures A-5 through A-8 are the National Geographic magazine targets that were used during the calibration sessions. Finally, the task coordinator provided Tables A-1 through A-4 as target element relevance scales for the four targets in Figures A-5 through A-8. This completes the information that was given to the analyst, and thus the analysis was carried out blind as to the matching target/ transcript pairs.
- (U) Table A-5 is a compilation of the completed work sheets that were used by the analyst in this evaluation. They are shown in groups by session number, and alphabetized on the four targets. (The task coordinator first randomized the transcript order then assigned the session number used above.) For each of the transcripts, the analyst simply included all phrases and all drawings as concepts. For example, seven concepts were found during Session 2.
- (U) All concepts were then analyzed as described in the text. The matching target element, its relevance rating, and the computed score are shown for all possible combinations of transcript/target pairs in Table A-5. The score distributions and their resulting weighted averages are also shown in Table A-5.

-SECRET

| Approved For Release 20 LASSIEFED 0788R00180005000 | 1-8 |
|--|------------------------------|
| TM Break. | 14 Oec8 002 B 12.40 |
| 2 Mm Aug volom B- | ~ |
| ad coastal cets Break | |
| 3 4 A un Bolyt A very Beautiful - | (sing |

FIGURE A-1 TRANSCRIPT 1 (U)

14

Approved For Release 2410 608 ASS HD 5000788R001800050001-8

14 Dec 81 002 B 3.23

Aolfondon 1777 Break.

1

A straight angles
B -

Manoch 2

rivis

Building,

Sud

FIGURE A-2 TRANSCRIPT 2 (U)

15

UNCLASSIFIED

Approved For Release 2000/08/08: CIA-RDP96-00788R001800050001-8

chouds.

gnown /w nwas of

frozen.

Storing cleffor with...

FIGURE A-3

Jeeling of tom.

16

UNCLASSIFIED

Approved For Release 2000/08/08: CIA-RDP96-00788R001800050001-8

Approved For Release 2000 Role ASSEE D00788R001800050001-8 10/ Dec81 002 12.46 12.417 A clour jassed
B A flat
B water ? 5.2 green trees and? aals windnis river. Jungle. Break A downfup deep vally. FIGURE A-4(a) TRANSCRIPT 4 (U)

17

UNCLASSIFIED

Approved For Release 2000/08/08: CIA-RDP96-00788R001800050001-8





FIGURE A-4(b) TRANSCRIPT 4 (concluded) (U)

18

Approved For Release 2000/08/08/28/215-RPP25-00788R001800050001-8 CPYRGHT




UNCLASSIFIED

Approved For Release 2000/08/08 : CIA-RDP96-00788R001800050001-8

Approved For Release 2000/08/08 : CIA-RDP96-00788R001800050001-8 **UNCLASSIFIED**


CPYRGHT



UNCLASSIFIEDApproved For Release 2000/08/08 : CIA-RDP96-00788R001800050001-8

Approved For Release 3000/68/08 SGAPPP5-00788R001800050001-8


CPYRGHT



21

CPYRGHT

UNCLASSIFIED



22

Table A-1

(U) TARGET ELEMENT RELEVANCE RATINGS FOR HANGO (U)

| Target Element | Relevance |
|----------------|-----------|
| | |
| Town | 5 |
| Cold | 4 |
| Peninsula | 5 |
| Rocky | 3 |
| Vegetation | 2 |
| Bay | 3 |

Table A-2

(U) TARGET ELEMENT RELEVANCE RATINGS FOR INVERNESS (U)

| Target Element | Relevance |
|----------------|-----------|
| | |
| City | 5 |
| River | 4 |
| Bridge | 3 |
| River banks | 2 |
| Vegetation | 1 |

Table A-3

(U) TARGET ELEMENT RELEVANCE RATINGS FOR FERNANDO DE NORONHA (U)

| Target Element | Relevance |
|-------------------|-----------|
| | |
| Island | 5 |
| Surf | 3 |
| Hills | 4 |
| Uninhabited | 3 |
| Mountain peak | 3 |
| Temperate climate | 2 |
| Vegetation | 2 |
| Ocean | 4 |

Table A-4

(U) TARGET ELEMENT RELEVANCE RATINGS FOR PUNKAHARJU (U)

| Target Element | Relevance |
|----------------|-----------|
| | |
| Connect lakes | 5 |
| Town | 4 |
| Bridges | 2 |
| Cold | 4 |
| Vegetation | 1 |
| Islands | 4 |

| Z |
|---|
| 0 |
| |
| S |
| S |
| = |
| m |
| |

25

| Begin Time: 12:40 | Target: Inverness | Viewer: | #002 |
|--------------------|----------------------------------|----------|------------------|
| End Time: | Method of Targeting: Coordinates | Date: | 14 December 1981 |
| Length of Session: | Session: 1 | Class: _ | В |

| Conce | | Transcript Concept | D | P | Element of Target | Rele- vance (R) | Quality (Q) | Score | PxRxQ | Score |
|-------|---|----------------------|---|---|--------------------|-----------------------|----------------|-------|-------|-------|
| 1 | ı | Picture 1 | | 1 | Twin church towers | 1 | 1 | 1 | 0 | 0 |
| 2 | 2 | Picture 2 | 1 | | | | | | 1 | 1 |
| | 3 | Up and down | | 1 | Buildings | 5 | 1 | 5 | 2 | 2 |
| | 4 | Rocky | | 0 | | | | 0 | 3 | 3 |
| | 5 | Land/water interface | | 1 | River | 4 | 4 | 12 | 4 | 4 |
| | 6 | Picture 3 | | 1 | Twin church towers | 1 | 1 | 1 | 5 | 5 |
| | 7 | Picture 4 | | 1 | River | 4 | 4 | 12 | 6 | 6 |
| | 8 | Uprising | | 1 | Buildings | 5 | 1 | 5 | 8 | 7 |
| | 9 | Cliff | | o | | | | 0 | 9 | 8 |
| 1 | 0 | Fjords | | 1 | River | 5 | 1 | 5 | 10 | 9 |
| 1 | 1 | Coastal city | | 1 | City | 5 | 4 | 20 | 12 | 10 |
| 1 | 2 | | | | | | | | 15 | 11 |
| 1 | 3 | | | | | | | | 16 | 12 |
| . 1 | 4 | | | | | | | | 20 | 13 |
| 1 | 5 | | | | | | | | 25 | 14 |

| Score | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 1 |
|---------------|---|---|---|---|---|---|---|---|---|---|----|----|----|----|---|
| # of Concepts | 2 | 5 | | | 3 | 3 | | | | | | | 2 | 1 | |

| Weighted A | verage | 1.53 |
|------------|--------|------|
|------------|--------|------|

UNCLApproved For Release 2000/08/08:

L**ASSIFIED** : CIA-RDP96-00788R001800050001-8

| Begin Time: 12:40 | Target: Hangö | | Viewer: | #002 |
|--------------------|----------------------|-------------|---------|------------------|
| End Time: | Method of Targeting: | Coordinates | Date: | 14 December 1981 |
| Length of Session: | Session: | 1 | Class: | В |

| Concept Number | Transcript Concept | D | P | Element of Target | Rele- vance (R) | Quality (Q) | Score | PxRxQ | Score |
|-------------------|-----------------------|---|---|-------------------|-----------------------|----------------|-------|-------|-------|
| 1 | Picture 1 | | 1 | Rocks | 3 | 3 | -8 | 0 | 0 |
| 2 | Picture 2 | 1 | | | | | | 1 | 1 |
| 3 | Up and down | | 1 | Buildings | 5 | 1 | 5 | 2 | 2 |
| 4 | Rocky | | 1 | Rocks | 3 | 5 | 11 | 3 | 3 |
| 5 | Land/water interfaces | | 1 | Coast | 5 | 4 | 13 | 4 | 4 |
| 6 | Picture 3 | | 1 | Church | 2 | 1 | 2 | 5 | 5 |
| 7 | Picture 4 | | 1 | Bay | 3 | 2 | 6 | 6 | 6 |
| 8 | Uprising | | 1 | Slope of land | .3 | 1 | 3 | 8 | 7 |
| 9 | Cliff | | 1 | Coast | 5 | 2 | 9 | 9 | 8 |
| 10 | Fjords | | 1 | Bay | 3 | 1 | 3 | 10 | 9 |
| 11 | Coastal city | | 1 | City | 5 | 5 | 14 | 12 | 10 |
| 12 | | | | | | | | 15 | 11 |
| 13 | | | | | | | | 16 | 12 |
| 14 | | | | | | | | 20 | 13 |
| 15 | | | | | | | | 25 | 14 |

Score # of Concepts

Weighted Average 2.52

Approved For Release 2000/08/06 LASSIE B. D788R001800050001-8

Approved For Release 2000/08/08 : CIA-RDP96-00788R001800050001-8

TRANSCRIPT EVALUATION

| E | Begin Ti | me: 12:40 | Target: | | Fern | ando de Noronha | v: | iewer: |
|---|-------------------|----------------------|---------|------|---------------|-------------------|-----------------------|----------------|
| 1 | Ind Time | : | Method | of T | ar get | ing: Coordinates | D | ate: |
| I | Length o | f Session: | Session | : | | 1 | C | lass: _ |
| | Concept Kumber | Transcript Concept | | D | P | Element of Target | Rele- vance (R) | Quality (Q) |
| | 1 | Picture 1 | | | 1 | Hills | 4 | 4 |
| | 2 | Picture 2 | | 1 | | | | |
| | 3 | Up and down | | | 1 | Peak | 3 | 1 |
| | 4 | Rocky | | | 1 | Coast line | 1 | 5 |
| | 5 | Land/water interface | | | 1 | Island | 5 | 4 |
| | | | - | | | | | , |

Picture 3 Peak Picture 4 Island Hills Uprising Cliff Peak Fjords Inlets Coastal city

Score # of Concepts

Approved For Release 2000/08/08: CIA-RDP96-00788R001800050001-8 Weighted Average

#002

Score

14 December 1981

PxRxQ Score

Table A-5 (continued)

| Begin Ti | me:12:40 | Target: | | Pun | kaharju | v | iewer: _ | #00 |)2 | | | |
|-------------------|--------------------|-----------|---------------|------|-------------------|-----------------------|-------------|-------|-----|-------|-------|---|
| End Time: | | Method of | Ta | rget | ing: Coordinates | D | ate: | 14 De | cen | ber | 1981 | |
| Length of | Session: | Session: | | | 1 | c | lass: | В | | | | |
| Concept Number | Transcript Concept | 1 | D | P | Element of Target | Rele- vance (R) | Quality (Q) | Score | | PxRxQ | Score | |
| | | | $\overline{}$ | | | | | | | | | 4 |

| | Concept Number | Transcript Concept | D | P | Element of Target | Rele- vance (R) | Quality (Q) | Score | PxRxQ | Score | |
|------------|-------------------|----------------------|----------|---|-------------------|-----------------------|----------------|-------|-------|-------|--|
| | 1 | Picture 1 | | 0 | | | | 0 | 0 | 0 | |
| | 2 | Picture 2 | 1 | o | | | | | 1 | 1 | |
| | 3 | Up and down | | 1 | Town | 4 | 1 | 4 | 2 | 2 | |
| | 4 | Rocky | | 0 | | ļ | | o | 3 | 3 | |
| ¥ | 5 | Land/water interface | | 1 | Connected lakes | 5 | 4 | 13 | 4 | 4 | |
| EVALUATION | 6 | Picture 3 | | 0 | | | | 0 | 5 | 5 | |
| EVAL | 7 | Picture 4 | | 1 | Connected lakes | 5 | 2 | 9 | 6 | 6 | |
| RIPT | 8 | Uprising | | o | | <u> </u> | | 0 | 8 | 7 | |
| TRANSCRIPT | 9 | Cliff | | 0 | | | | 0 | 9 | 8 | |
| Ţ | 10 | Fjords | | 1 | Connected lakes | 5 | 1 | 5 | 10 | 9 | |
| | 11 | Coastal city | | 1 | Town | 4 | 3 | 10 | 12 | 10 | |
| | 12 | | | | | | | | 15 | 11 | |
| | 13 | | | | | | | | 16 | 12 | |
| | 14 | | | | | | | | 20 | 13 | |
| | 15 | | <u> </u> | | | | | | 25 | 14 | |

| Score | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|---------------|---|---|---|---|---|----|---|---|---|---|----|----|----|----|----|
| # of Concepts | 5 | 2 | 1 | 1 | 1 | 1. | | | | 1 | 1. | | | 1 | |

| Weighted Average | 0.90 |
|------------------|------|
|------------------|------|

Approved For Release 2000/08/08 CIA-RDF96-00788R001800050001-8

| Begin Tin | me:15:23 | Target: | In | verness | Viewer: #002 | | | | | | |
|--------------------------------------|------------|-------------|-------|-------------------|------------------------|----------------|-------|--------------------|-------|--|--|
| End Time: | : | Method of T | arget | ing: Coordinate | Date: 14 December 1981 | | | | | | |
| Length of | f Session: | Session: | | 2 | Class: | | | | | | |
| Concept Number Transcript Concept | | D | Р | Element of Target | Rele- vance (R) | Quality (Q) | Score | PxR _X Q | Score | | |
| | | | | | | | | | | | |

| Concept Number | Transcript Concept | D | P | Element of Target | Rele- vance (R) | Quality (Q) | Score | PXRXQ | Score |
|-------------------|--------------------|---|---|-------------------|-----------------------|----------------|-------|-------|-------|
| 1 | Picture 1 | | 1 | River bank | 4 | . 3 | 10 | 0 | 0 |
| 2 | Straight angles | | 1 | Buildings | 5 | 1 | 5 | 1 | 1 |
| 3 | Picture 2 | | 1 | River | 4 | 3 | 10 | 2 | 2 |
| 4 | River | | 1 | River | 5 | 5 | 14 | 3 | 3 |
| 5 | Buildings | | 1 | Buildings | 5 | 5 | 14 | 4 | 4 |
| 6 | Man-made | | 1 | City | 5_ | 4 | 13 | 5 | 5 |
| 7 | London | | 1 | City | 5 | 4 | 13 | 6 | 6 |
| 8 | | | | | | | | 8 | 7 |
| 9 | | | | | | | | 9 | 8 |
| 10 | | | | | | | | 10 | 9 |
| 11 | | | | | | | | 12 | 10 |
| 12 | | | | | | | | 15 | 11 |
| 13 | | | | | | | | 16 | 12 |
| 14 | | | | | | | | 20 | 13 |
| 15 | , | | | | | | | 25 | 14 |

| Score | 0 | 1 | 2 | 3 | 4 | 5 | 6 | . 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|---------------|---|---|---|---|---|---|---|-----|---|---|----|----|----|----|----|
| # of Concepts | | 1 | | 2 | 2 | 2 | | | | | 2 | | | 2 | 2 |

| | Weighted | Average | 4.13 |
|-----|----------|---------|------|
| - 1 | | | |

Approved For Release 2000/08/08 CIA-RDF96-00788R001800050001-8

11

12

13

14

15

| gin Ti | me: 15:23 | Target: | | Hangö | Viewer: #002 Date: 14 December 1981 | | | | | | |
|-------------------|--------------------|-------------|-------|-------------------|--------------------------------------|-------------|-------|------|-------|--|--|
| d Time: | | Method of T | arget | ing: Coordinate | | | | | | | |
| ngth of | f Session: | Session: | | 2 | c | lass: | В | | | | |
| Concept Number | Transcript Concept | D | P | Element of Target | Rele- vance (R) | Quality (Q) | Score | PXRX | Score | | |
| 1 | Picture 1 | | 1 | Buildings | 5 | 1 | 5 | 0 | 0 | | |
| 2 | Straight angles | | 1 | Buildings | 5 | 1 | 5 | 1 | 1 | | |
| 3 | Picture 2 | | 1 | Peninsula | 5 | 1 | 5 | 2 | 2 | | |
| 4 | River | | 1 | Bay | 3 | 2 | 6 | 3 | 3 | | |
| 5 | Buildings | | 1 | Buildings | 5 | 5 | 14 | 4 | 4 | | |
| 6 | Man-made | | 1 | Buildings | 5 | 4 | 13 | 5 | 5 | | |
| 7 | London | | 1 | Town | 5 | 3 | 11 | 6 | 6 | | |
| 8 | | | | | | | | 8 | 7 | | |
| 9 | | | | | | | | 9 | 8 | | |
| 10 | | | | | | i | | 10 | 9 | | |
| - | | | T | (T | | | 1 | | | | |

| Score | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|---------------|---|---|---|---|---|---|---|---|---|---|----|----|----|----|----|
| # of Concepts | | 3 | 1 | 1 | 1 | 1 | | | | | | 1 | | 1 | 1 |

| Hadabead | Assemble | |
|----------|----------|------|
| Weighted | Average | 2.72 |
| <u> </u> | | |

12 10

16 12

20 13

25 14

15 | 11

Approved For Release 20 WNGLASSIFIED 0788R001800050001-8

Approved For Release 2000/08/08 : CIA-RDP96-00788R001800050001-8

UNCLASSIFIED

| | ne: 15:23 | | | | undo de Noronha | | iewer: | | | | |
|-------------------|--------------------|--------------------|-----|---|-----------------|-----------------------|-------------|----------------------|----|-------|--|
| | Session: | Method of Session: | | | ing: Coordinate | | | 4 December 1981 B | | | |
| Concept Number | Transcript Concept | 1 | D P | | 1 | Rele- vance (R) | Quality (Q) | | | Score | |
| 1 | Picture 1 | | | 0 | | | | 0 | 0 | 0 | |
| 2 | Straight angles | | | 0 | | | | 0 | 1 | 1 | |
| 3 | Picture 2 | | | 1 | Island | 5 | 1 | 5 | 2 | 2 | |
| 4 | River | | | 1 | Ocean | 3 | 1 | 3 | 3 | 3 | |
| 5 | Buildings | | | 0 | | | | 0 | 4 | 4 | |
| 6 | Man-made | | | 0 | | | | 0 | 5 | 5 | |
| 7 | London | | | 0 | | | | 0 | 6 | 6 | |
| 8 | | | | | | | | | 8 | 7 | |
| 9 | | | | | | | | | 9 | 8 | |
| 10 | | | | | | | | | 10 | 9 | |
| 11 | | | | | | | | | 12 | 10 | |
| 12 | | | | | | , | | | 15 | 11 | |
| 13 | | | | | | | | | 16 | 12 | |
| 14 | | | | | | | | | 20 | 13 | |
| 15 | | | | | | | | | 25 | 14 | |

| Score | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|---------------|---|---|---|---|---|---|---|---|---|---|----|----|----|----|----|
| # of Concepts | 5 | 2 | | 1 | | 1 | | | | | | | | | |

Weighted Average 0.22

15:23 Begin Time: Target: End Time: Method of Targeting:

Length of Session:

Punkahar ju Coordinate

Viewer: Date: ___14 December 1981

Session:

Class:

| | Concept Number | Transcript Concept | D | P | Element of Target | Rele- vance (R) | Quality (Q) | Score | PxR | Q Score |
|------------|-------------------|--------------------|---|---|-------------------|-----------------------|----------------|-------|-----|---------|
| | 1 | Picture 1 | | 1 | Bridge | 2 | 1 | 2 | G | 0 |
| | 2 | Straight angles | | 1 | Bridge | 2 | 1 | 2 |] | 1 |
| | 3 | Picture 2 | | 1 | Bridge | 2 | 1 | 2 | 2 | 2 |
| | 4 | River | | 1 | Lakes | 5 | 2 | 9 | 3 | 3 |
| ž. | 5 | Buildings | | 1 | Town | 4 | 5 | 13 | | 4 |
| EVALUATION | 6 | Man-made | | 1 | Town | 4 | 4 | 12 | | 5 |
| EVAL | 7 | London | | 1 | Town | 4 | 3 | 10 | L | 6 |
| RIPT | 8 | | | | | | | | L | 7 |
| TRANSCRIPT | 9 | | | | | | | | L | 8 |
| F | 10 | | | | | | | | 10 | 9 |
| | 11 | | | | | | | | 12 | 10 |
| | 12 | · | | | | | | | 1 | 11 |
| | 13 | | | | | | | | 10 | 12 |
| | 14 | | | | | | | | 2 | 13 |
| | 15 | | | | | | | | 2 | 14 |

| Score | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 1 |
|---------------|---|---|---|---|---|---|---|---|---|---|----|----|----|----|---|
| # of Concepts | | 3 | 1 | 1 | 1 | 1 | | | | 1 | 1 | | 1 | 1 | |

Weighted Average

Approved For Release 200 Approved For Release

Weighted Average

1.12

UNCLASSIFIED

| gin Tir d Time: | | Meth | od of ! | arget | ing: | Coord | inate | 5 | Date: 14 December 1981 | | | | | | |
|------------------------|---------------------|----------|---------|-------|------|--------|-------|------|----------------------------|-------------|-------|-------|-------|--|--|
| | Session: | Sess | ion: _ | | | 3 | | | С | lass: | В | | | | |
| Concept Number | Transcript Concept | | D | P | E1 | ement | of Ta | rget | Rele- vance (R) | Quality (Q) | Score | PXRXQ | Score | | |
| 1 | Picture 1 | | | 1 | Bui1 | dings | | | 5 | 1 | 5. | 0 | 0 | | |
| 2 Land/water interface | | | | 1 | Rive | r | | | 4 | 4 | 12 | 1 | 1 | | |
| 3 | Ridges | | | 0 | | | | | | | 0 | 2 | 2 | | |
| 4 | Small ups and downs | | | 1 | Bui1 | dings | | | 5 | 1 | 5 | 3 | 3 | | |
| 5 | Cold | | | 1 | Loca | tion | | | 3 | 1 | 3 | 4 | 4 | | |
| 6 | Picture 2 | | | 1 | Chur | ch | | | 2 | 1 | 2 | 5 | 5 | | |
| 7 | Rocky | <u>.</u> | | o | | | | | | | 0 | 6 | 6 | | |
| 8 | Picture 3 | | | 1 | Buil | dings | | | 5 | 1 | 5 | 8 | 7 | | |
| 9 | Picture 4 | | | 0 | | | | | | | 0 | 9 | 8 | | |
| 10 | Frozen | | | 0 | | | | | | | 0 | 10 | 9 | | |
| 11 | Feeling of town | | | 1 | City | | | | 5 | 4 | 13 | 12 | 10 | | |
| 12 | Cliff on water | | | 1 | Rive | r bank | | | 1 | 1 | 1 | 15 | 11 | | |
| 13 | | | | | | | | | | | | 16 | 12 | | |
| 14 | | | | | | | | | | | | 20 | 13 | | |
| 15 | | | | | | | | | | | | 25 | 14 | | |

Score

of Concepts

2

UNCLASSIFIED

| Begin Time: 13:13 | Target: Hango | | Viewer: | #002 |
|--------------------|------------------------|-------------|----------|---------------|
| End Time: | Method of Targeting: _ | Coordinates | Date: 14 | December 1981 |
| Longth of Sassian: | Section: | 2 | Class | D |

| Concept Number | Transcript Concept | D | P | Element of Target | Rele- vance (R) | Quality (Q) | Score | P | XRXQ | Score |
|-------------------|----------------------|---|---|-------------------|-----------------------|-------------|-------|---|------|-------|
| 1 | Picture 1 | | 1 | Rocks | 3 | 2 | 6. | | 0 | 0 |
| 2 | Land/water interface | | 1 | Peninsula | 5 | 4 | 13 | | 1 | 1 |
| 3 | Ridges | | 1 | Rocks | 3 | 2 | 6 | | 2 | 2 |
| 4 | Small ups and downs | | 1 | Rocks | 3 | 2 | 6 | | 3 | 3 |
| 5 | Cold | | 1 | Location | 4 | 4 | 12 | | 4 | 4 |
| 6 | Picture 2 | | 1 | Church | 2 | 1 | 2 | | 5 | 5 |
| 7 | Rocky | | 1 | Rocks | 3 | 5 | 11 | | 6 | 6 |
| 8 | Picture 3 | | 1 | Sloping rocks | 3 | 2 | . 6 | | 8 | 7 |
| 9 | Picture 4 | | 0 | | | | 0 | | 9 | 8 |
| 10 | Frozen | | 1 | Location | 4 | 4 | 12 | | 10 | 9 |
| 11 | Feeling of town | | 1 | Town | 5 | 5 | 14 | | 12 | 10 |
| 12 | Cliff on water | | 1 | Sloping rocks | 3 | 2 | 6 | | 15 | 11 |
| 13 | | | | | | | | | 16 | 12 |
| 14 | | | | | | | | | 20 | 13 |
| 15 | | | | | <u> </u> | | | | 25 | 14 |

| Score | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 1 |
|---------------|---|---|---|---|---|---|---|---|---|---|----|----|----|----|---|
| # of Concepts | 1 | 1 | 5 | | 3 | 2 | 5 | | | | | 1 | 2 | 1 | |

Weighted Average 2.65

UNCLASSIFIED

| Begin Time: 13:13 | Target: | Fernando de | Viewer: | #002 | |
|--------------------|--------------|-------------|-------------|----------|------------------|
| End Time: | Method of Ta | urgeting: | Coordinates | Date: | 14 December 1981 |
| Length of Session: | Session: | 3 | | Class: _ | В |
| , | | | | | |

| | Concept Number | Transcript Concept | D | P | Element of Target | Rele- vance (R) | Quality (Q) | Score | PxRxQ | Score |
|---|-------------------|----------------------|---|---|-------------------|-----------------------|----------------|-------|-------|-------|
| | 1 | Picture 1 | | 1 | Hills | 4 | 2 | 7 | 0 | 0 |
| | 2 | Land/water interface | | 1 | Island | 5 | 4 | 13 | 1 | 1 |
| | 3 | Ridges | | 1 | Hills | 4 | 5 | 13 | 2 | 2 |
| | 4 | Small ups and downs | | 1 | Hills | 4 | 3 | 12 | 3 | 3 |
| | 5 | Cold | | 0 | | | | 0 | 4 | 4 |
| - | 6 | Picture 2 | | 1 | Peak | 3 | 3 | 8 | 5 | 5 |
| | 7 | Rocky | | 1 | Shoreline | 3 | 2 | 6 | 6 | 6 |
| | 8 | Picture 3 | | 1 | Hills | 4 | 3 | 10 | 8 | 7 |
| - | 9 | Picture 4 | | 1 | Surf | 3 | 1 | 3 | 9 | 8 |
| • | 10 | Frozen | | 0 | | | | 0 | 10 | 9 |
| | 11 | Feeling of town | | 0 | | | | 0 | 12 | 10 |
| | 12 | Cliff on water | | 1 | Hills by sea | 4 | 5 | 13 | 15 | 11 |
| | 13 | | | | | | | | 16 | 12 |
| | 14 | | | | | | | | 20 | 13 |
| | 15 | | | | | | | | 25 | 14 |

| Score | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|---------------|---|---|---|---|---|---|---|---|---|---|----|----|----|----|----|
| # of Concepts | 3 | 1 | 2 | 3 | 1 | 2 | 1 | 1 | 1 | | 2 | | 3 | | |

| Weighted | Average | 2.49 |
|----------|---------|------|

Approved For Release 2006/08/06 LASSIFIED 788R001800050001-8

Approved For Release 2000/08/08 : CIA-RDP96-00788R001800050001-8

UNCLASSIFIED

| Begin Time: 13:13 | Target: Punkharaja | Viewer: #002 | |
|--------------------|---|-----------------------------|---|
| End Time: | Method of Targeting: <u>Coordinates</u> | Date: 14 December 1981 | |
| Length of Session: | Session: 3 | Class: B | _ |
| Concept | D B B B | Rele- vance Quality Comp | |

| Concept Number | Transcript Concept | D | P | Element of Target | Rele- vance (R) | Quality (Q) | Score | PxRxQ | Score |
|-------------------|----------------------|---|---|-------------------|-----------------------|----------------|-------|-------|-------|
| 1 | Picture 1 | | 1 | Scattered lakes | 5 | 1 | 5 | 0 | 0 |
| 2 | Land/water interface | | 1 | Scattered lakes | 5 | 4 | 13 | 1 | 1 |
| 3 | Ridges | | 1 | Islands | 4 | 2 | 7 | 2 | 2 |
| 4 | Small ups and downs | | 1 | Island s | 4 | 4 | 12 | 3 | 3 |
| 5 | Cold | | 1 | Location | 4 | 4 | 12 | 4 | 4 |
| 6 | Picture 2 | | 1 | Islands | 4 | 1 | 4 | 5 | 5 |
| 7 | Rocky | | 0 | | | | 0 | 6 | 6 |
| 8 | Picture 3 | | 1 | Islands | 4 | 1 | 4 | 8 | 7 |
| 9 | Picture 4 | | 0 | | | | 0 | 9 | 8 |
| 10 | Frozen | | 1 | Location | 4 | 4 | 12 | 10 | 9 |
| 11 | Feeling of town | | 1 | Town | 4 | 5 | 13 | 12 | 10 |
| 12 | Cliff on water | | o | | | | 0 | 15 | 11 |
| 13 | | | | | | | | 16 | 12 |
| 14 | | | | | | | | 20 | 13 |
| 15 | | | | | | | | 25 | 14 |

| Score | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|---------------|---|---|---|---|---|---|---|---|---|---|----|----|----|----|----|
| # of Concepts | 3 | 3 | 1 | | 4 | 1 | | 1 | | | | | 3 | 2 | |

| Weighted | Average | 2.42 |
|----------|---------|------|
| | | |

Approved For Release 20 Wolf Cal. A.S. S. S. H. G. D. 0788 R. 0018000 50001-8

UNCLASSIFIED

| Begin Ti | me: <u>12:46</u> | Target: | In | verness | , v | iewer: _ | #0 | 02 | |
|-------------------|-----------------------|-------------|-------|-------------------|-----------------------|-------------|--------|---------|-------|
| End Time | : | Method of T | arget | ing: Coordinates | D | ate: | 14 Dec | ember 1 | 981 |
| Length o | f Session: | Session: | | 4 | c | lass: | В | | |
| Concept Number | Transcript Concept | D | P | Element of Target | Rele- vance (R) | Quality (Q) | Score | PxRxQ | Score |
| 1 | Down jagged | | 0 | | | | 0 | 0 | 0 |
| 2 | Picture 1 | | 1 | Sloping bank | 2 | 11_ | 2 | 1 | 1 |
| 3 | Flat | | 1 | Area | 4 | 3 | 10 | 2 | 2 |
| 4 | Water | | 1 | River | 4 | 4 | 12 | 3 | 3 |
| 5 | Green | | 1 | Grass | 1 | 3 | 3 | 4 | 4 |
| 6 | Picture 2 | | 1 | River banks | 2 | 1 | 2 | 5 | 5 |
| 7 | Down/up | | 0 | | | | 0 | 6 | 6 |
| 8 | Deep valley | | 0 | | | | О | 8 | 7 |
| 9 | Picture 3 | 2 | | | | | | 9 | 8 |
| 10 | Down | | 1 | Banks | 2 | 1 | 2 | 10 | 9 |
| 11 | Land/water interfaces | | 1 | River | 4 | 4 | 12 | 12 | 10 |
| 12 | Descending | | 1 | Banks | 2 | 1 | 2 | 15 | 11 |
| 13 | Trees | | 1 | Trees | 2 | 5 | 9 | 16 | 12 |
| 14 | Winding river | | 1 | River | 4 | 5 | 13 | 20 | 13 |
| 15 | Jungle | | , | Trees | 2 | , | 2 | 25 | 14 |

| Score | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|---------------|---|---|---|---|---|---|---|---|---|---|----|----|----|----|----|
| # of Concepts | 3 | 5 | 2 | 2 | 2 | 2 | | | | 1 | 1 | | 2 | 1 | |

| Weighted | Average | 1.21 |
|----------|---------|------|

Weighted Average

1.38

Approved For Release 2000/08/08 : CIA-RDP96-00788R001800050001-8

| \equiv |
|-------------------|
| |
| $\overline{\cap}$ |
| |
| |
| S |
| S |
| |
| П |
| |
| П |
| O |

38

of Concepts

5 2 3

3

1

| | | | | | | Target: Hangö Method of Targeting: Coordinates | | | | | | | | | _ | #002 14 December 1981 | | | | |
|-------------------|-------|-------|-------------|--------|-------|---|-------------|---|---|---|-------|--------|-------|-------------|------------------|--------------------------|-------------|-------|------|-------|
| ength of | | | | | | | | | | | .ng: | | | | | | lass: | | | 1981 |
| Concept Number | | T | ransci | ript (| Conce | pt | | | D | P | Ele | ement | of Ta | rget | | Rele- vance (R) | Quality (Q) | Score | PxRx | Score |
| 1 | Down | jagge | d | | | | | | | 1 | Slop | ing ro | cks | | | 3 | 2 | 6 | 0 | 0 |
| 2 | Picti | re 1 | | | | | | | | 1 | Slop: | ing ro | cks | | | 3 | 2 | 6 | 1 | 1 |
| 3 | Flat | | | · | | | | | | 1 | Bay | | | | | 3 | 1 | 3 | 2 | 2 |
| 4 | Water | · | | | | | | | | 1 | Bay | | | | | 3 | 4 | 10 | 3 | 3 |
| 5 | Green | l | | | | | | | | 0 | | | | | | | | 0 | 4 | 4 |
| 6 | Pictu | re 2 | | · | | | | | | 1 | Slopi | ing ro | cks | | | 3 | 1 | 3 | 5 | 5 |
| 7 | Down/ | up | | | | | | | | 0 | | | | | | | | 0 | 6 | 6 |
| 8 | Деер | valle | У | | | | | i | | 0 | | | | | | | | 0 | 8 | 7 |
| 9 | Pictu | re 3 | | | | | | | 2 | | | | | | - · · · · | L | | | 9 | 8 |
| 10 | Down | | | | | | | | | 1 | S10pi | ing ro | cks | | i | 3 | 1 | 3 | 10 | 9 |
| 11 | Land/ | water | inte | rface | s | | | | | 1 | Peni | nsula | | | | 5 | 4 | 13 | 12 | 10 |
| 12 | Desce | nding | | | | | | | | 1 | Slopi | ng ro | cks | | | 3 | 1 | 3 | 15 | 11 |
| 13 | Trees | | | | | | | | | 1 | Trees | s . | | | | 2 | 4 | 7 | 16 | 12 |
| 14 | Windi | ng ri | ver | | | | | | | 1 | Bay | | | | | 3 | 1 | 3 | 20 | 13 |
| 15 | Jungl | е | | | | | | | | 1 | Trees | 3 | | | | 2 | 3 | 6 | 25 | 14 |

Table A-5 (continued)

1

Weighted Average

2.22

Approved For Release 2000/08/08 : CIA-RDP96-00788R001800050001-8

UNCLASSIFIED

of Concepts

| nd Time | : | | | | | | Me | ethod | of T | arge | t1n | g: | Coord | nates | | | Da | ate: | 14 December 1981 | | |
|-------------------|----------|---------|--------------|--|----------|---|----|-------------|----------|------|-------------|--------|-------------|--------|--|---|-----------------------|-------------|------------------|------|-------|
| ength o | f Sessio | n: _ | | | | | Se | essio | n: | | | 4 | | | _ | C | lass: | В | | | |
| Concept Number | | Tr | anscr | ipt C | oncep | t | | | D | P | | Rle | ment | of Tar | get | | Rele- vance (R) | Quality (Q) | Score | PxRx | Score |
| 1 | Down | jagge | ed | | | | | | | 1 | | Hills | | | | | 4 | 3 | 10 | 0 | 0 |
| 2 | Pictu | re 1 | | | | | | | | 1 | | Hills | | | | | 4 | 4 | 12 | 1 | 1 |
| 3 | Flat | | | | | | | | | 0 | | | | | | | | | 0 | 2 | 2 |
| 4 | Water | | | | | | | | <u> </u> | 1 | | Ocean | | | | | 4 | 4 | 12 | 3 | 3 |
| 5 | Green | 1 | - | | | | | | | 1 | | Vegeta | tion | | | | 2 | 3 | 6 | 4 | 4 |
| 6 | Picti | ıre 2 | | | <u> </u> | | | | <u> </u> | 1 | | Hills | | | · · · · · · · · · · · · · · · · · · · | | 4 | 1 | 4 | 5 | 5 |
| 7 | Down/ | 'up | | ······································ | | , | | | | 1 | | Hills | | · | | | 4 | 1 | 4 | 6 | 6 |
| 8 | Deep | val1e | у | | | | | | | 0 | | | | | ·· · · · · · · · · · · · · · · · · · · | | | | 0 | 8 | 7 |
| 9 | Picti | re 3 | | | | | | | 2 | | \parallel | | | | · | | | | | 9 | 8 |
| 10 | Down | | | | | | | | <u> </u> | 1 | ╢- | Slopin | g hil | ls | | | 4 | 1 | 4 | 10 | 9 |
| 11 | Land/ | water | inte | erface | es | | | | | 1 | 1 | Island | l | | | | 5 | 4 | 13 | 12 | 10 |
| 12 | Desce | endi ng | · | | | | | <u> </u> | | 1 | 1 | Slopin | g hil | ls | | | 4 | 1 | 4 | 15 | 11 |
| 13 | Trees | 3 | | | | | | | | 1 | \parallel | Vegeta | tion | | | | 2 | 5 | 9 | 16 | 12 |
| 14 | Windi | ing ri | ver | | | | | | | 1 | | Ocean | | | | | 4 | 2 | 7 | 20 | 13 |
| 15 | Jung | Jungle | | | | | 1 | | Vegeta | tion | | | | 2 | 5 | 9 | 25 | 14 | | | |

Table A-5 (continued)

2

2

Approved For Release 2000/08/08 : CIA-RDP96-00788R001800050001-8

UNCLASSIFIED

| ength of | Session: | Session: | | 4 | c | lass: |
|-------------------|--------------------|----------|---|-------------------|-----------------------|--------------|
| Concept Number | Transcript Concept | D | P | Element of Target | Rele- vance (R) | Quali (Q) |
| 1 | Down jagged | | o | | | |
| 2 | Picture 1 | | 1 | Islands | 4 | 3 |
| 3 | Flat | | 1 | Area | 4 | 3 |
| 4 | Water | | 1 | Lakes | 5 | 4 |
| | | | | | | 1 |

12:46

Begin Time:

End Time:

| | 1 | Down jagged | | 0 | | | | 0 | 0 | 0 |
|------------|---------|---------------------------------------|---|---|-----------------|---|-----|----|----|----|
| | 2 | Picture 1 | | 1 | Islands | 4 | 3 | 10 | 1 | 1 |
| | 3 | Flat | | 1 | Area | 4 | 3 | 10 | 2 | 2 |
| | 4 | Water | | 1 | Lakes | 5 | 4 | 13 | 3 | 3 |
| X. | 5 | Green | | 0 | | | | 0 | 4 | 4 |
| EVALUATION | 6 | Picture 2 | | 1 | Lake bottoms | 5 | 1 . | 5 | 5 | 5 |
| EVAL | 7 | Down/up | | 1 | Lake bottoms | 5 | 1 | 5 | 6 | 6 |
| RIPT | 8 | Deep valley | | 1 | Lake bottoms | 5 | 1 | 5 | 8 | 7 |
| TRANSCRIPT | 9 | Picture 3 | 2 | | | | | , | 9 | 8 |
| Ŧ | 10 | Down | | 1 | Lake bottoms | 5 | 1 | 5 | 10 | 9 |
| | 11 | Land/water interfaces | | 1 | Lakes | 5 | 4 | 13 | 12 | 10 |
| | 12 | Descending | | 1 | Islands | 4 | 1 | 4 | 15 | 11 |
| | 13 | Trees | | 1 | Trees | 2 | 4 | 7 | 16 | 12 |
| | · 14 | Winding river | | 1 | Connected lakes | 5 | 2 | 9 | 20 | 13 |
| | 15 | Jungle | | 1 | Trees | 2 | 1 | 2 | 25 | 14 |
| | | · · · · · · · · · · · · · · · · · · · | | | | | | | | |

Punkahar ju

Method of Targeting: Coordinates

10 12 13 Score 2 3 4 5 6 9 11 14 # of Concepts 2

Weighted Average

#002

14 December 1981

Viewer:

Date:

(U) Two types of overall assessment were chosen to emphasize the versatility of the evaluation procedure, (1) a simple rank ordering based on weighted average scores, and (2) a concept-by-concept, non-parametric, statistical technique. Table A-6 shows the results of the first method, the rank ordering. For convenience, the correct matches are underlined.

Table A-6

(U) A RANK ORDERING OF WEIGHTED AVERAGES (U)

| Session/Target | Inverness | Hangö | Fernando de Noronha | Punkaharju |
|----------------|-----------|-------|------------------------|------------|
| 2 | 4.13* | 2.72 | 0.22 | 2.11 |
| 3 | 1.12 | 2.65 | 2.49 | 2.42 |
| 4 | 1.21 | 1.38 | 2.22 | 2.21 |
| 1 | 1.53 | 2.52 | 2.36 | 0.90 |

 $^{^{\}star}$ Scores computed with non-uniform target relevance factors.

- (U) From Table A-6, we see that there were 3 first-place matches and 1 fourth-place match. The probability of obtaining 3 of 4 possible first-place matches from chance fluctuations alone are less than 0.051. The point spread between the best match (Inverness) and the worst match (Punkaharju) are in qualitative agreement with a subjective "first look" at the quality of the transcripts as well.
- (U) The second analysis determines the significance of the difference between the correct concept/target matches and a control set of matches. All concept/target matches that are not the correct matches act as an internal control set. To avoid any invalid assumptions as to the correct parent distribution, a non-parametric statistical test, the Mann-Whitney U-Test, was chosen for the analysis.

Approved For Release 2000/05/64-ASSIE 50-0788R001800050001-8

- (U) It is beyond the scope of this report to review the details of the Mann-Witney U-Test; thus, only the results are quoted here. The probability that the set of correct concept/target matches is statistically indistinguishable from the control concept/target matches is less than 0.071.
- (U) There are a number of additional statistical procedures that could be used to analyze the results of this evaluation technique. The two cited above, however, represent a spread in complexity that demonstrates the internal consistency of the basic evaluation procedure. With only four similar RV sessions, the evaluation technique nearly reached the 0.05 level of statistical significance with each of the two statistical procedures, a result indicating a successful outcome with regard to the overall assessment procedure.

Appendix B

(U) SUMMARY OF EVALUATION TECHNIQUE (U)

| Step | Action |
|------|--|
| 1 | Task coordinator defines the evaluation goal. He/she identifies target elements and assigns target element relevance factors as appropriate. |
| 2 | Analyst conceptualizes responses and prepares an RV assessment sheet for each response. |
| 3 | Repeated concepts are noted in the "D" column. |
| 4 | Copies of the sheets from Item 2 are made; one for each possible target used in the analysis. |
| | FOR EACH POSSIBLE RESPONSE/TARGET COMBINATION: |
| 5 | Identify a target element for each concept not marked in the "D" column; mark a l in the "p" column and write the target element and its relevance factor from Step l in the appropriate columns. (Write O and blanks if no element can be found.) |
| 6 | Using Table 3, assign a quality rating for all present $(p = 1)$ concept/element combinations. |
| 7 | Compute the score as follows: |
| | a. Calculate relevance (R) X quality (Q) |
| | b. Convert R X Q to an integer between 0 and 14 using the conversion table provided. |
| 8 | Enter the number of concepts that obtained each possible score in the space provided. |
| 9 | Calculate the weighted average using: |
| | $A_{k} = 0.357 \left[\Sigma f_{j} \sqrt{f_{j}} S_{j} / \Sigma f_{j} \sqrt{f_{j}} \right]$ |
| | where: S, is the score and f, is the number of concepts that obtained score |
| | $j = 0, 1, 2, \dots, 14$ |
| 10 | For each response, rank order the weighted averages. |

43

UNCLASSIFIED

REFERENCES (U)

- 1. H. E. Puthoff and R. Targ, "A Perceptual Channel for Information Transfer over Kilometer Distances: Historical Perspective and Recent Research," Proc. IEEE, Vol. 64, No. 3, pp. 329-354 (March 1976).
- 2. C. Scott, "On the Evaluation of Verbal Material in Parapsychology:
 A Discussion of Dr. Pratt's Monograph," J. Soc. Psych. Res., Vol. 46,
 No. 752, pp. 79-90 (June 1972).
- 3. R. Targ, H. E. Puthoff, and E. C. May, "State of the Art in Remote Viewing Studies at SRI," Technical Session on Research in Psychoenergetics, Proc. 1977 IEEE International Conf. on Cybernetics and Society, Washington, D.C. (September 20, 1977).
- 4. S. Siegel, Nonparametric Statistics, pp. 116-120 (McGraww-Hill, 1956).

44

UNCLASSIFIED