



Project CY 8609

Describe the Technical Facility located via:

SG1A



Within the following ten year period determine if and when any "special events" occur:



Note: If you do find any "special events" - - - subsequent sessions will be focused on each separate "special event."

This document is made available through the declassification efforts
and research of John Greenewald, Jr., creator of:

The Black Vault



The Black Vault is the largest online Freedom of Information Act (FOIA) document clearinghouse in the world. The research efforts here are responsible for the declassification of hundreds of thousands of pages released by the U.S. Government & Military.

Discover the Truth at: <http://www.theblackvault.com>

SG1J

20 Feb 87
Ft. Meade, MD
[REDACTED]

1030

SUI

2

52

D

AI

EI

T

I

002

HS

flat
hard

point of
impact

metallic

S4 1/2 specially prepared

wired

measured
compared

S 4 1/2 when struck, it causes physical effects, releases energy, particles & information:

S4 1/2 - idea that "projectile" is caused to ~~course~~ ^{course} around circular/oval "track" until desired speed/momentum/altitude is achieved, then "switch" ^{setting} is altered to permit "projectile" to be propelled/impelled into impact point.

S4 1/2 sense that any possible inhibitors or changes object are removed, perhaps even to the point of creating a vacuum along the track of the "projectile" to avoid air friction or interference.

SVI

Sz

D

A2

FI

T

I

VAL

ALS

Clamps

stress

degrades

Surrounding

S4 1/2 in chamber what happens may occur very rapidly but for short duration, like a "burst" or "flash." No rhythmic pulse or repeat in chamber

S4 1/2 "Clamps" are high grade & high strength materials because subject to high degree of "stress" - not mechanical or physical stress but ^{uniform} degradatory deterioration over time.

molecular degradation

Thermoplane
 object
 emanations?
 tubes
 sppt
 modified materials
 Starch in
 machines
 equipment
 devices
 apparatus
 power

Thermoplane
 attributes
 emanations?
 intangible
 heated
 excited
 agitated
 resistant
 "dangerous"
 aspects
 calculated
 phenomenological

Thermoplane
 Subjects
 emanations?
 threshold
 barrier
 control
 program
 level
 excitement
 energy
 release
 accumulation
 utilization
 adjustment

Thermoplane
 Topics
 emanations?
 protective
 pro factory
 adjacent

logarithmic

S U I

6

S2

D

A2

E2

T

I

AOL

ALS

mass composition

alloy

S4/2 "98%" pure one element, but alloyed with small amount of other material to improve malleability + performance.

element

heavy dense

dark color

At B6
YUc
wash
parts
unpleasant

grainy

Like Carbon
but not black

to range

S4/2 alloy material light ~ silver color

At B6
Mercury

S U I

7

502

D

#2

F I

T

J

APL

AG

refined

S4 1/2 all possible impurities removed to increase predictability of desired effects + results.

gush + material

dist

upper part
was

"dry up" process

location

S4 1/2

loose dirt + carb. light color - beige, ochre, with orange patches throughout. Husk, leaves, etc. Relatively flat, though rolling. ~~the~~ sparse population; low grassy vegetation with, after cold.

material heat processed, refined; impurities extracted - mechanically, then more refined extraction. Take ~~off~~ material out of impurities instead of vice versa. As material becomes more pure, its true dk grey color becomes more apparent.

1113