

Handwritten signature and date: 29 MAR 88

~~SECRET~~/NOFORN - HANDLE VIA SKEET CHANNELS ONLY

PROJECT SUN STREAK (U)

WARNING NOTICE: INTELLIGENCE SOURCES AND METHODS INVOLVED

PROJECT NUMBER: 8802	SESSION NUMBER: 1
DATE OF SESSION: 28 MAR 88	DATE OF REPORT: 29 MAR 88
START: 1445	END: 1515
METHODOLOGY: CRV	VIEWER IDENTIFIER: 095

SG1B



2. (S/NF/SK) VIEWER TASKING: Coordinates only. At the beginning of Stage 4, 095 was informed that there were certain EEI that should be addressed. Also, in Stage 6, 095 was instructed to sweep a time line, from recent past to near future and note and changes to (presently empty) area.

3. (S/NF/SK) COMMENTS: The viewer addressed the key EEI immediately - excellent session. There is an extraordinary amount of correspondence between 095's data and that produced during 011's 22 Mar 88 session.

SG1J



CPT, USA

~~SECRET~~/NOFORN - SKEET CHANNELS ONLY

This document is made available through the declassification efforts
and research of John Greenewald, Jr., creator of:

The Black Vault



The Black Vault is the largest online Freedom of Information Act (FOIA) document clearinghouse in the world. The research efforts here are responsible for the declassification of hundreds of thousands of pages released by the U.S. Government & Military.

Discover the Truth at: <http://www.theblackvault.com>

Session Summary

Viewer 095
28 March 88
Start 1445
End 1515

Site is a large (long and wide), low, 'boxy' structure on land with water somewhere nearby. The structure is white/gray and has a rough texture. Inside the structure is a large empty room with a high (12 ft or so) ceiling. The room is dingy and dark. The floors are bare and echo when walked on. Near one corner is a low door. In moving in time from the near past to the near future the room remains bare. In the early near future there is a sickly sweet chemical smell (AOL hospital smell) in the room. On the floor, at an angle is a low, (long rectangular object (AOL box/mattress). It is hard but gives (don't know if it dents or the whole thing moves) when you kick it.

Handwritten notes:
The smell is very strong
and it is very
unpleasant
h (es)

0095
FGGM
28 Mar 88
1495

PI
AV

mitsbk

275601
958588



A. Aaoss
fluidy

B. —


275601
958588



A. wavy aces
fluidy

B. water

275601



A. dirged up
nyle aces

man made

B. structure

S-2
white
rough
cool

Miss BK

275601

958588

miss bk

275601

958588

275601

958588

A. across
very hard.
B. hard.

S-Z
dark
flat

Ac-BK
Zcky.

miss bk

275601

958588

275601
958588

A. Across and
ding red up edge
across
hard

B. via rule
B. 2 v v v v v


Ac-BK
chips on
terracing

3

SZ

guy
with
long
hair
angles.

Adok
Angus



Interior survey:

Site is hard water structure with food.
Structure is large, long & wide, low,
Sides of structure feel rough.

S-2 D AI EI T I AOC AOC/S

connected
roof.

[inside]

boxy

one floors.

empty

high.

Stylo

S2 D AI EI T I AOC AOC/S

AI BK

dark

dark

dinky.

smooth floors

AI BK

nausea/vertigo

AI BK
hospital.

stuck
smell

person

AOC BK

truck


Army

S4/2:

usides

Like (AOC) smells associated with hospitals.

Army situation




S-2 D AI EI T I AOC AOC/S

low.
rectangular.

Boyle
motives.

SA/2



Ad.
Box.

1518.