

~~SECRET~~/STIPPLED/NOFORN/WNINTEL
SPECIAL ACCESS REQUIRED

PROJECT SUN STREAK

WARNING NOTICE: INTELLIGENCE SOURCES AND METHODS INVOLVED

PROJECT NUMBER: D003 SESSION NUMBER: 01
DATE OF SESSION: 18 SEP 9 DATE OF REPORT: 18 SEP 90
START: 1020 END: 100
METHODOLOGY: SOLO VIEWER IDENTIFIER: 018

1. (S/STD) MISSIONS: Determine the location of a small plastic container hidden in an agreed-upon area of search located in the immediate vicinity of Bldg T-2560 and T-2561. ERV Tgt 5240 was contained in the plastic holder

2. (S/STD) VIEWER TASKING: From an agreed-upon starting point find the target while acting in a direction finding mode.

3. (S/STD) COMMENTS: No inclemencies noted. A Summary of Information is attached to this report and reflects methodology (ies) used. [In this case, six of them.] Of the six methods used, the pendulum came closest to finding the target.

4. (S/STD) EVALUATION:

5. (S/STD) SEARCH EVALUATION:

HANDLE VIA SKEET CHANNELS ONLY

~~SECRET~~/STIPPLED/NOFORN/WNINTEL
SPECIAL ACCESS REQUIRED

CLASSIFIED BY: DCSINT (PO)
DECLASSIFY ON: OADR

This document is made available through the declassification efforts
and research of John Greenewald, Jr., creator of:

The Black Vault



The Black Vault is the largest online Freedom of Information Act (FOIA)
document clearinghouse in the world. The research efforts here are
responsible for the declassification of hundreds of thousands of pages
released by the U.S. Government & Military.

Discover the Truth at: <http://www.theblackvault.com>

WORKING PAPER

Project: ~~BF-003~~ ⁰⁰⁰³
Date: 900918
Time: 1020
Viewer: 018

SUMMARY OF INFORMATION:

1. TASKING: Determine the location of a hidden target in a confined area of land.
2. METHODOLOGY¹: I started at the "central tree" and felt for warmth from the target (the weather was very cold).
3. RESULTS: The attached map indicates the results of this method, and the path traveled as I progressed. The standard formula² for computing locational error within confined boundaries indicates this as 79.71% accuracy.

¹ Six different methods were used for this target, with success rates ranging from 100% accuracy (pendulum method) to 75.71% accuracy ("hot finger"). Results of these methods are kept in personal records.

² Percent accuracy is determined by the standard formula for computing locational error within confined boundaries:

$$\underline{100 * (1 - (ACTUAL ERROR / MAXIMUM POSSIBLE ERROR))}$$

