

REMOTE VIEWING SESSION DATA

*
* Remote Viewer : MR 011 ✓
* Interviewer : ED 099
* Observer(s) : ~~_____~~
* _____
* _____
* Date : 05/02/87
* Starting time : 0820 hours, local
* Site # : 0110
* Site Acquisit.: CRV ERV PRV ARV BRV Other _____
* Working Mode : GT HEM Other _____
* Feedback class: A B C
*

*
* Ending time : 1008 hours, local
* Notes : _____
* Highest stage : 04
* Evaluation : + **3**
*

*
* Actual site : RAILYARD - REFITTING HOUSE
* RV summary : _____
* : _____
* : _____
*

This document is made available through the declassification efforts
and research of John Greenewald, Jr., creator of:

The Black Vault



The Black Vault is the largest online Freedom of Information Act (FOIA)
document clearinghouse in the world. The research efforts here are
responsible for the declassification of hundreds of thousands of pages
released by the U.S. Government & Military.

Discover the Truth at: <http://www.theblackvault.com>

P.I.'s - none
A.V.'s - none

SG1J




5 FEB 87
0820 hrs

525325
300024


to over, flat
ward
B. Card

515325
2000 LA



Knives, angle up.
across floor
hard
B. Stroob

525325
30002A



S-2

L. across angle up, across
angle up across, across
flat. angle down, angle
across
A structure

504 BORT

525325
300824

S-2

ref
given
blac

hard
smooth

flat

sound

pulsating whine - distant

hissing sound - static

fractory angle up
across, angle up

across, flat

word

B structure

525825
300824



S-2
pale green
purpler
blues

As across angle up, across,
angle up, across flat,
across
b. ~~Structure~~

nothing break


525365
300024



S-2

A. across, angle up,
angle over, across, flat
under down
word
b. structure


BREAK!!!



52
 gray
 blue
 black
 salt smell

do more up, rest up
 across flat. incline
 down across
 road
 to bank

32576
380624



d accents, under
 up curves over,
 under down
 soft
 B. —————


from 9 mts above the site something should be visible



S-2
hissing sound
brown
blue
water/marshy
flat

across, curved up,
curved over, curving
around
hard
b/land

not exactly water



lots of energy
lots of energy

feeling energy



S-2 D AI EI T I AOL A/S

blue
gray

flat
inclined
angle

feeling energy

missing sound

soft/airy

not exactly water
not exactly land

hard
black
smooth

flat
open
empty

hills
mountains
desert



AOL BREAK

energy

red
blue
hissing

break

box

square
rect angle
angles

Black
hard
smooth

small

airy

invisible
electronic

from 500 feet of something should be visible

Across meter
up curving over
meter down
hard
b. land

from 10 feet up something should be perceived

A. across, angle up,
angle down, angle down,
into down curving
and across flat
across hard
B. structure

square
angles
corner

glowing - greenish glow

break

black

cable

object
site

~~A/S break~~ ← uncomfortable
nausea

radiation

break!!

END 1000 hrs

from USO notes with something should be used

to cross, angle up
across, curving
around

hard
B. structure

S-2
dark
black
gray

D

AI

EI

T

I

AOL A/S

angles
curving

object

laboratory environ
experimental
research

AOL
~~DRIVE~~

Site consists of flat hard land. There is a structure associated with this site which is hard, smooth, black, hissing noise, has lots angles, box-like. There was a pulsating, whining sound. The object was hard and smooth, shiny,

1008 hrs

✓ SG1J


5 FEB 87

SESSION SUMMARY

SITE: RAILROAD CLASS YDS A/SHOPS (USSR)

Today's session was unique, in that, I did not use any other technique other than structure throughout the session. This took a great deal of conscious effort on my part and probably acted as a filter to the signal line.

Without interaction with the site there was no feel for the session. Even with session feedback I could not relate any of the session data to the actual site.