

Paul  
7 May 87  
F.F. Wanda, n.d.  
Ed  
1:29

This document is made available through the declassification efforts  
and research of John Greenewald, Jr., creator of:

# The Black Vault



The Black Vault is the largest online Freedom of Information Act (FOIA)  
document clearinghouse in the world. The research efforts here are  
responsible for the declassification of hundreds of thousands of pages  
released by the U.S. Government & Military.

**Discover the Truth** at: <http://www.theblackvault.com>

SVI

S.2

D

AI

EI

I

I

Avk

Als

fluctuates  
waves

Pulse

rhythmic

regular

rapid

directional

Als like polarized; out-placed

Avk  
beam  
energy  
weapon

Als  
DNK - indicates  
shape



bubbles  
on  
string

target  
structure

staccato  
sound

voice

sequential  
direction

St<sup>1/2</sup> - method/care of effects on target structure not apparent  
to visual perception.

52 D AZ FZ T I Az Ag

direction


→ 1/2 direction from which cause of effect comes, is side, slightly up angle, almost parallel to general horizon

Some of "wiggly" to course the course follows.

Az Bk  
like  
legitimate  
bold in  
sky

54/12/AZ/s like 2 components - designators, and "course"

Az Bk  
like  
laser designator  
+ smart missile



SUI

22

D AI EI T I AOL

pls

object

Smooth

x round

shiny

metal

5-1/2 "fancy shaped," various different shapes, protrusions, angles, substructures, suppt. on "legs"/"protrusions"/"landings gear" "like" springs loaded or "bouncers".

Little internal empty space.

wires  
cables

circuits

electronic  
parts

guiding  
mechanisms

project by  
controlling

I FF  
circuits

5-1/2 system operates so rapidly, specially designed IFF necessary to prevent accidental destruction of friendly/neutral targets.

SUI

5

52

D

AZ

EI

I

I

AZ

A6

5 1/2 part of object capable + necessary of rotation  
+ declination etc.

pinion operates

single  
inside

protected  
controlling

5 1/2 "goes with" system/object..

BoL Bk  
Belly gun  
TAB-25

hydraulic  
part  
hose  
couplings  
fluid  
pressure

5 1/2 rapid direction changes

52

D M EI

SVI

self-contained

S4/2

but after prolonged use requires replenishment  
Severely mobility capabilities.

resupply

liquid  
solids

like fuel  
cell

refueling

substance

sublimation  
solid-to-vapor  
volatile  
hermetic

S4/2

unit-for-unit replacement; connecting, disconnecting,  
switching; recharging, spent unit (very involved process)

slow  
elevation

sounded



S2

D

A2

E1

T

I

SVI

arabidg  
noise

instantaneous

burning  
flashing

like  
welding  
or  
sparkles

very  
high

kind  
swell

charring  
fusing  
burning

Spalling

S-1/2 can't say, but is tenacious feel of substance to it.

S-1/2 not always dependable; design "bugs". Mixed blessing.  
sometimes fails to function embarrassingly. Usually

Sub-system weakness. So complex that optimum  
performance parameters seldom completely met. Designer  
always works to correct shortcomings. But problematic

SV I

JOL #6

S 2

because of certain physical principle in susceptibility.

red  
blue  
yellow

point =  
circle



star

for Bk  
Script  
Flag


Orangeish  
red

Yellow


black

for inner  
border

gold



#1



Side view of ~~the~~ rounded, angled, shifty object examined with wires, ~~base~~ hoses, electrical connections, subsystems + assemblies, and one person; it is supported on legs/outriggers/land by ~~gear~~ gear that is damped/shock absorber equipped. Object has some degree of mobility potential. Seems also to be a major component of a R&D weapons system with unusual characteristics capable of engaging/ targeting at unusual distances. System may possibly be directed/targeted/aimed by a secondary "designator" system located separately from main operative component.

1413