Approved For Release 2000/08/08 : CIA-RDP96-00789R002200500001-2 Final Report April 1989 AN APPLICATION ORIENTED REMOTE VIEWING **EXPERIMENT(U)** By: 333 Ravenswood Ave. • Menio Park, CA 94025

This document is made available through the declassification efforts and research of John Greenewald, Jr., creator of:

The Black Vault



The Black Vault is the largest online Freedom of Information Act (FOIA) document clearinghouse in the world. The research efforts here are responsible for the declassification of hundreds of thousands of pages released by the U.S. Government & Military.

Discover the Truth at: http://www.theblackvault.com

(Jeno)	ed For Release 2000/08/08 :	CÎA-RDP96-00789R0	02200500001-2
	Final Report Covering the Period 1 May 1988 to	o April 1989	April 1989
	AN APPLICATION C EXPERIMENT(U)	RIENTED REMOTE	VIEWING
	By:		
	SRI PROJECT 2740		
		Cop This document consi	by 3 of 3 Copies
		This document const	isto di da pagos
SRI International Approv	333 Ravenswood Ave. • Mento F 415 326-6200 • TWX: 910-373- red For Release 2000/08/08 :	-2046 • Telex: 334-486	02200500001-2

TABLE OF CONTENTS (U)

LIST OF	FIGUR	RES	iii
LIST OF	TABLE	ES	iii
I	ОВЈ	ECTIVE	1
II	BAC	CKGROUND	2
	A.	Remote Viewing	2
	В.	Fuzzy Set Analysis	3
Ш	APP	PROACH	4
	A.	Remote Viewer	4
	В.	Target Material	4
	C.	Experiment Protocol	4
	D.	Analysis Technique	5
IV	RES	SULTS AND DISCUSSION	10
V	CON	NCLUSIONS	19
REFERE	NCES .		20
APPEND	IX A	REMOTE VIEWING RESPONSE (DRAWINGS)	A-1
APPEND	IX B	REMOTE VIEWING RESPONSE (TRANSCRIPT)	B-1

SG1A

LIST OF FIGURES (U)

				_						
1.	Viewer 372:						k .		 	. 11
2.	Viewer 372:					٠. ٠			 	. 12
3.	Viewer 373:								 	. 13
4.	Viewer 372:					٠.			 	. 15
5.	Viewer 372:					٨.			 	. 16
6.	Viewer 009:							•••	 	. 18
			_							
	;	•	LIST O	F TABLI	ES (U)					
1.	Universe of Tar	get And F	Response El	ements (U	J)		• • • •		 	. 8
2.	Figure of Merit	(FM) Sur	nmary—(·			·		 	. 10

I OBJECTIVE (U)

The objectives of this experiment were to:

- Demonstrate the potential of a novel collection technique, known as remote viewing,
- Determine the degree to which the technique used to analyze remote viewing results is applicable.

SG1A

G1A	_(II BACKGROUND (U)	5
	~ \	SRI was asked to participate in an experiment	
con	duct	ed during the latter half of August, 1988,	
		The primary objectives were (1) to demonstrate	
the	remo	ote viewing of and (2) to apply fuzzy set	
ana	lysi	s to interpret the data.	SG1A
Α.	(U)	Remote Viewing	
	(U)	Remote viewing (RV) is an apparent human ability to gain access, by mental means	
alon	e, to	information that is secured by shielding, distance, or time. $^{1-5}*$ At least three elements	
are	neces	sary to conduct an RV experiment:	
	741	And the Mark of the Angles of the Mark of	
		An individual, called a viewer, with RV ability	
	(2)	Specific target material (not available to the viewer at the time of the experiment)	
	(3)	An analysis technique to determine the degree to which RV occurred	
In a	typic	al laboratory protocol, a viewer and a monitor—an interviewer who is also unaware of	
the	target	material—are sequestered at time T_0 . At T_0 + 5 minutes, an assistant selects the	
inter	nded	target from a large pool of potential targets (e.g., a list of locations within a half-hour	
drive	e fron	the laboratory) using a random procedure. At T_0 + 30 minutes, the assistant is at the	
selec	cted s	ite and, back at the laboratory, the viewing begins. At $T_0 + 45$ minutes, the viewing	
		the assistant returns to the laboratory. To provide feedback, the viewer, monitor, and eturn to the selected site and review the RV data.	
_		To determine if RV occurred, similar experiments are conducted using a newly	
		arget for each trial. Usually, the trials are done with target replacement (i.e., each	
targe	et is r	eturned to the pool and may be selected again by the random process).	
•(U)	Re	ferences may be found at the end of this report.	
• •		<u>-</u>	

Approved For Release 2000/08/08 : CIA-RDP96-00789R002200500001-2

B. (U) Fuzzy Set Analysis

(U) Since 1972, SRI has developed many procedures to determine whether information has been obtained beyond chance expectation.⁶⁻⁸ In the current method,⁹ the targets and viewer's responses are described as fuzzy sets of descriptor elements (e.g., presence of water). The outcome of the RV experiment is measured by a *figure of merit*, which is related to the accuracy and reliability of the viewer's description of the target.

When RV is applied the analysis procedures differ considerably. In laboratory experiments, much is known about the target, but in applications, very little target information is known. Thus, the analysis technique must be modified in order to assess the "correct" RV response elements before confirming evidence can be obtained.

Long-standing difficulties in applying the RV phenomena to intelligence applications are at least twofold. In a lengthy response, those elements of genuine significance must be identified a priori. Second, even excellent examples of remote viewing do not necessarily imply usefulness. Therefore, RV-derived data should be used in conjunction with information obtained through more conventional channels.

III APPROACH (U)

(U) SRI conducted a 26-hour RV experiment beginning at 1008 on August 24, 1988. The viewer provided data in four different work periods: at 1008 and 1500 on August 24, and at 0910 and 1120 on August 25. The details of the experiment are described below.

A. (U) Remote Viewer

SRI selected Viewer V372 to participate in this experiment because of his* 10-year experience as a viewer, and because he produced good results in the first experiment in this series, conducted in May, 1987.

B. (U) Target Material

The target was

Included in the target material was the functional aspect t relationships among elements, and the elements themselves.

SG1A

C. (U) Experiment Protocol

The SRI team was given the , name of the experiment, a time window during which the experiment would be active, and a photograph and Social Security number of an on-site individual. Other than this, all aspects and details of the experiment were withheld from V372 and SRI personnel.

⁽U) To keep the identify of the viewer confidential, we refer to the viewer with the pronouns he and his regardless of the viewer's gender.

Four sessions were conducted to provide information. The times and circumstances were as follows:

- (1) 1008 August 24 V372 was asked to describe the location and details of an event in progress. Details about pertinent personnel were also requested.
- (2) 1500 August 24 V372 was asked to describe details and activity at the site demarked by the presence of the sponsor's on-site representative.
- (3) <u>0910 August 25</u> V372 was asked to expand upon his descriptions from the previous day.
- (4) 1120 August 25 V372 was asked consolidate the information from the previous scans and to provide his concluding remarks.

During each session, V372's responses were tape-recorded. He was encouraged to draw details whenever possible. Drawings are contained in Appendix A, and Appendix B contains verbatim transcripts of all four sessions. (Because of technical difficulties, most of the taped record of the second session was lost. Since the remaining data are intact and since the drawings from the remaining viewings are complete, this gap is not significant.)

After all raw data had been delivered to the sponsor, V372 and SRI personnel were allowed to visit the target site for feedback.

D. (U) Analysis Technique

As discussed in Section II, quantitative analysis in an intelligence setting poses problems. Any analysis of remote viewing data must be accomplished within the context of a mission statement. An analysis designed only to demonstrate RV is inadequate to enable an assessment, and vice versa. Under another program, SRI developed a generalized analysis technique that allows for an a priori mission statement. An overview of that technique follows.

1. (U) Definitions

The most important aspect of RV data analysis is the definition of both the target and the RV response. For this analysis, all target and response information is defined as the fuzzy sets T and R, respectively. Each is described below.

ek is an element of a target. For example, an element

which might have a

The target is defined as a fuzzy set of target elements $T[e^{k}, \mu k, wk]$:

SG1A µk is the membership value of element ek. It represents the degree to which ek is present at the target. SG1A for example, might have a membership SG1A value of 0.6, indicating that is 60% of the target material. Determined subjectively, µk is always a value from 0 to 1. wk is an arbitrary weighting factor for element ek. This factor accounts for differing missions by assigning the SG1A importance of elements relative to each other. The is very important, for example, and might be assigned a weight of 5 SG1A

when compared with

weight of 0.5.

The RV response is similarly defined as a fuzzy set of response elements $R[e_k, \mu_k, w_k]$. The membership values for response elements, however, have a somewhat different meaning than those for target elements. Membership values, μ_k represent an analyst's assessment as to the degree of presence of e_k in the response. For declarative statements, $\mu_k = 1$ unless a viewer volunteers a specific or implied importance of e_k to the overall target. A degree of interpretation is allowed for nondeclarative statements by letting $\mu_k < 1$. The response weights, w_k , are identical to the target weights.

of the two; to obtain a high figure of merit, a viewer's description of a target must be largely correct and contain few extraneous images. In

fuzzy set terminology, these quantities for the jth target/response pair are as follows:

Accuracy_j =
$$a_j = \frac{\sum_k w_k (R_j \cap T_j)_k}{\sum_k w_k T_{j,k}}$$

Reliability =
$$r_j = \frac{\sum_k w_k (R_j \cap T_j)_k}{\sum_k w_k R_{j,k}}$$
.

and

Figure of Merit_j =
$$M_j = a_j \times r_j$$
.

The sum over k is called the *sigma count* in fuzzy set terminology. The sigma count is defined as the sum of the membership values, μ , for the elements of the response, target, and their intersection—that is, R_i , T_i , and $(R_i \cap T_i)$, respectively.

2. (U) Target and Response Data

The universe of target and response elements is drawn from the August, 1988, experiment. We define three element categories: functions, relationships, and objects. These categories are weighted 1.0, 0.75, and 0.50, respectively.

(U) Table 1 shows the universe of target and response elements and the formal definition of T and R. All scans were considered together, rather than scan by scan. The various scaling weights are shown in parentheses adjacent to the appropriate factors. The relative weights are derived from SRI's best assessment of the operational utility of each element. The response membership values, $R(\mu)$, were determined from the raw data (see Appendices A and B). The target membership values, $T(\mu)$, were determined by SRI personnel during a site visit in September, 1988. All elements, however, were determined by an SRI analyst post hoc in order to allow a more accurate assessment of reliability. Elements derived from the response were taken literally. Those elements having no corresponding element in the target (i.e., $T(\mu) = 0$) were assigned the average weight of elements present in the target.

Next 1 Page(s) In Document Exempt

IV RESULTS AND DISCUSSION (U)

SG1A

Table 2 shows the figure-of-merit analysis for the experiment using the fuzzy sets defined in Table 1. The target was the


target-response intersection is shown as $|T \cap R|$, and the sigma counts of the target and response sets are shown as |T| and |R|, respectively. N is the number of elements that were identified for each category. All quantities include the relative weights shown in Table 1.

The weighted accuracy total of 0.80 (i.e., 80% of the identifiable elements at the target site were correctly described by V372) agrees well with the qualitative correspondence shown in Figures 1 and 2.* Figure 3 shows V372's drawing of a plan view of the target area, which appears to match the experimental situation almost exactly. The figures of merit show that, since the first experiment in this series, V372's ability to sense functions and objects has increased modestly, and his ability to sense relationships has increased by a factor of four. The relatively low value of 0.57 for the combined (weighted by the category weighting factors) target elements is consistent with the elaborate nature of V372's response (see the original response in Appendices A and B).

Table 2
FIGURE OF MERIT SUMMARY


Element Type	N	T ∩R	T	R	Acc.	Rel.	М
FUNCTIONS RELATIONSHIPS OBJECTS	8 16 48	10.00 15.05 46.20	11.40 21.95 56.70	12.43 23.45 72.92	0.88 0.69 0.82	0.80 0.64 0.63	0.70 0.44 0.52
TOTAL	72	-	_	_	0.80	0.65	0.52

⁽U) All figures are to be taken as indicators of qualitative correspondence. The drawings and photographs have been selected to illustrate the correspondence.





Approved For Release 2000/08/08 : CIA-RDP96-00789R002200500001-2








FIGURE 3 VIEWER 372: PLAN VIEW OF THE TARGET

- . GROUND FOCAL AREA.
- . SPECIFICALLY CA'D OUT FOR "CATCHING" SOMETHING" EVENTY"



SG1A








After SRI personnel had been debriefed about the target, a second long-term participant, V009, was asked to view the same event. He was told to provide whatever information he could about an event that had taken place approximately two weeks earlier. Viewer V009 was told nothing else about the nature of the target or target event, and he worked without an RV monitor.

Since this was an ad hoc test, not intended to be part of the series, we have not conducted a formal analysis of V009's response. Qualitatively, however, V009 appeared to do as well as V372, given that he remained in session, unmonitored, for only 20 minutes. Figure 6 shows one part of his drawing response that captures V009's theme. Interestingly, V009 also appeared to be confused by the multitude of potential target material in the immediate area. He drew an airport and recognized that it was not the intended target.



SG1A

18

Approved For Release 2000/08/08 : CIA-RDP96-00789R002200500001-2

V CONCLUSIONS (U)

Viewer V372 was asked to use RV to describe the activity of Project during August 24 and 25, 1988. He described approximately 80% of the identifiable target elements correctly, and 71% of his responses corresponded with the intended target. Although 29% noise remains, if this experiment had been an actual described approximately activity, the noise probably would not have been a significant distracting factor.

REFERENCES (U)

- 1. Puthoff, H. E. and Targ, R., "Perceptual Augmentation Techniques (U)," Final Report, SRI Project 3183, SRI International, Menlo Park, California (December 1975)
- 2. Puthoff, H. E. and Targ, R., "A Perceptual Channel for Information Transfer Over Kilometer Distances: Historical Perspective and Recent Research," *Proceedings of the IEEE*, Vol. 64, No. 3 (March 1976) UNCLASSIFIED.
- 3. Puthoff, H. E., et al., "Advanced Threat Technique Assessment (U)," Final Report, SRI Project 5309, SRI International, Menlo Park, California (October 1978)
- 4. Jahn, R. G., "The Persistent Paradox of Psychic Phenomena: An Engineering Perspective," *Proceedings of the IEEE*, Vol. 70, No. 2, pp. 136-170 (1982). UNCLASSIFIED
- 5. Puthoff, H. E., "RV Reliability, Enhancement, and Evaluation (U)," Final Report, SRI Project 4028-1. SRI International, Menlo Park, California (January 1984)
- 6. May, E. C., "A Remote Viewing Evaluation Protocol (U)," Final Report (revised), SRI Project 4028, SRI International, Menlo Park, California (July 1983)
- 7. May, E. C., Humphrey, B. S., and Puthoff, H. E., "An Automated RV Evaluation Procedure (U)," Final Report, SRI Project 7408, SRI International, Menlo Park, California (May 1985)
- 8. May, E. C., Humphrey, B. S., and Mathews, C., "A Figure of Merit Analysis for Free-Response Material," *Proceedings of the 28th Annual Convention of the Parapsychological Association*, pp. 343-354, Tufts University, Medford, Massachusetts (August 1985) UNCLASSIFIED.
- 9. Humphrey, B. S., Trask, V. V., May, E. C., and Thomson M. J., "Remote Viewing Evaluation Techniques (U)," Final Report—Objective A, Task 4, SRI Project 1291, SRI International, Menlo Park, California (December 1986)